

ATLANTIC

P R O D U C T S



Product Catalogue

2025

Why Atlantic Products

At Atlantic, we don't just sell products – we deliver quality, reliability, and value that stand the test of time. Since 2005, we've been a trusted name in the marine and leisure market, and now we're bringing that same expertise to the great outdoors.

Here's why Atlantic Products are the best choice for your needs:

Trusted by Industry Leaders

Atlantic is the go-to brand for major trailer manufacturers and leading retailers across the industry. Our long-standing partnerships are a testament to the trust and confidence businesses place in our products.

Engineered for purpose

We understand the unique demands of the marine, outdoor lifestyle and heavy duty applications. Every product is purpose-built to meet the highest standards of performance, ensuring you get gear that works as hard as you do.

A Family Business with a Legacy of Excellence

Founded in 2005, Atlantic remains a family-owned and operated business with a deep commitment to quality, integrity, and customer satisfaction. When you choose Atlantic, you're not just buying a product—you're investing in a brand that values relationships and stands behind every sale.

Laboratory-Tested for Maximum Performance

At Atlantic, we take quality control seriously. Our products are tested in state-of-the-art laboratories to meet and exceed industry standards for strength, durability, and safety. From corrosion resistance to load-bearing capacity, every product is pushed to its limits to ensure flawless real-world performance in the harshest conditions.

Whether you're out on the water, on the road, or exploring the great outdoors, Atlantic Products deliver consistent performance you can trust. Join the thousands who trust Atlantic for quality, performance, and unbeatable value.

Cadet Boat Winch Series

Introducing our Cadet Boat Winch Series	5
300kg Cadet Boat Winches	6
550kg Cadet Boat Winches	7

Marine Boat Winch Series

Introducing our Marine Boat Winch Series	9
550kg Marine Boat Winches	10
725kg Marine Boat Winches	11
775kg Marine Boat Winches	12
1135kg Marine Boat Winches	13
1500kg Marine Boat Winches	14
Introducing our Cadet Electric Winch	15
2000lb Electric Marine Winch	16
3000lb Electric Marine Winch	17
3500lb Electric Marine Winch	18
Haul-It Electric Marine Winch	19

Brake Winch Series

Introducing our Compact Brake Winch Series	21
300kg Compact Brake Winches	22
500kg Compact Brake Winches	23
725kg Compact Brake Winches	24
750kg Large Brake Winch	25
1500kg Large Brake Winch	26
1500kg Large Brake Winch - Black	27
1800kg Extra Large Brake Winch	28
2500kg Car Trailer Winch	29

Winch Spare Parts

Webbing Strap	31
Galvanised Cable	32
Dyneema Rope	33
Winch Handles	34
Winch Hooks	35

Tyres & Wheels

Predator Alloy Mag Wheels and Tyres	37
X-Series Alloy Mag Wheels and Tyres	38
Blackhawk Alloy Mag Wheels and Tyres	40
Ripper Alloy Mag Wheels and Tyres	41
T-Series Alloy Mag Wheels and Tyres	42
Galvanised Wheels and Tyres	43
Stepped Alloy Wheel Lugs	44

Spare Wheel Mounts–

Introducing our Spare Wheel Mounts Range	46
Small Spare Wheel Mount for Galvanised Boat Trailer	47
Large Spare Wheel Mount for Galvanised Boat Trailer	48
Small Spare Wheel Mount for Aluminium Boat Trailer	49
Large Spare Wheel Mount for Aluminium Boat Trailer	50
Small Spare Wheel Mount for Box Trailer	51
Large Spare Wheel Mount for Box Trailer	52
Drop-Down Spare Wheel Mounts	53
Spare Wheel Carrier U-Bolt	54

Boat Trailer Rollers

Introducing our Boat Trailer Roller Range	56
Soft Wobble Rollers	57
Soft Poly Cotton Reel Rollers	58
Soft Poly Sydney Keel Rollers	59
Hard Poly Keel Rollers	60
Black Rubber Keel Rollers	61
Self-Centering Rollers	62
Bow Rollers	63

Boat Trailer Brackets

Introducing our Boat Trailer Bracket Range	65
Roller Brackets	66
Bolt-on Brackets	67
Wood Yoke Brackets	68
Angled Wood Yoke Brackets	69
Eye Post Brackets	70
Adjustable Stem Brackets	71
Wobbler Roller Brackets	72
Outboard Motor Support Brackets	73
Roller Spindles	74
Forged Roller Spindles	75
Tie-Down Bracket	76
Alloy Mud Guard Support Bracket	77
Roller Fasteners	78
Bracket Fasteners	79

Trailer Spare Parts

Trailer Blocks	81
Trailer Blocks - Pre-Bend	82
Galvanised Steel Skids	83
Teflon Skid Strips	84
Safety Chains	85
Rated D & Bow Shackles	86
45x6 765mm Slipper Springs	87
45x6 765mm Hook Tail Springs	88
45x8 710mm Slipper Springs	89
45x8 710mm Eye-to-Eye Springs	90
Rocker Rollers Springs	91
Parabolic Springs	93

Trailer Accessories

Trailer Light Boards	96
Jerry Can Holder with Mount	97
LED Boat Trailer Lights	98
Brake Cable Assembly Kit	99
Brake Cable Spare Parts	100
Wheel Bearing Kits	101
Jet Ski Trailer Posts	102
Tinny Boat Trailer Posts	103
Large Trailer Posts	104

Towing Accessories

Anti-Rattle Hitch Bolt	106
Anti-Rattle Hitch Plate	107
Trailer Lock	108
Tow Ball Products	109
Tow Bar Products	110
Vertical Bike Racks	111
Garage Stand for Vertical Bike Rack	112

Tie-Down Ratchets

How to secure a Jet-Ski with our Tie-Downs	114
Tie-Downs - Small Boats	115
Tie-Downs - Large Boats	117

Introducing our

Cadet Boat Winch Series

Small in size, big on performance – our Atlantic Cadet Boat Winch Range is purpose-built for pulling jet skis, tinnies, and smaller watercraft with ease.

Available in 300kg (3:1 ratio) and 550kg (4:1 ratio) models, these compact winches deliver smooth and reliable pulling power in a lightweight design that's perfect for smaller trailers.


Each winch is Dacromet finish for outstanding corrosion resistance in harsh marine environments, and designed with the same attention to detail and toughness as our larger models.

Whether you're trailering a tinny for a weekend on the water or hauling a jet ski after a long day of fun, Atlantic Cadet Winches get the job done – quickly, safely, and without compromise.



Cadet Boat Winches are not intended to serve as load-bearing devices whilst transporting your jet-ski or tinny. Instead, secure your vessel with a rated safety chain and appropriate tie-downs to ensure safe, secure, and compliant transportation.

To ensure smooth operation and longevity of your Cadet Winch, grease the winch gears regularly.



MAINTENANCE
GUIDE

Pawl lever

S Hook included

Compact, yet powerful

Machine-cut gears

Dacromet finish


Up to 550kg capacity

Removable Handle

Webbing, Cable or Rope

CODE: CMW-HANDLE

CODE: SMW008R



For secure installation, we recommend using three M10 x 75mm bolts complete with washers and nuts to mount the winch to the trailer posts.

300kg Cadet Boat Winch

3:1 Gear Ratio

☑ Webbing, rope, cable & no cable options

☑ Rust-resistant Dacromet finish


☑ Machine-cut gears




SUITABLE FOR
JET-SKI & TINNY'S




INLINE PULL




PRODUCT TYPE –	WEBBING STRAP	GALVANISED CABLE	DYNEEMA ROPE	NO CABLE
PRODUCT CODE	CMW002W	CMW003C	SMW007R	CMW001NC
GEAR RATIO	3:1	3:1	3:1	3:1
HOOK TYPE	S Hook	S Hook	S Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	4.5m	6m x 4mm	6m x 4mm	–
PULL CAPACITY	300kg (660lb)	300kg (660lb)	300kg (660lb)	300kg (660lb)
RATCHET TYPE	Lever Action	Lever Action	Lever Action	Lever Action
UNIT WEIGHT	2.4kg	2.4kg	2.4kg	2.4kg
DIMENSIONS (W x H x D)	257 x 120 x 155	257 x 120 x 155	257 x 120 x 155	257 x 120 x 155
QUANTITY	4/carton	4/carton	4/carton	4/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS




550kg Cadet Boat Winch

4:1 Gear Ratio


- ☑ Webbing, rope, cable & no cable options
- ☑ Rust-resistant Dacromet finish
- ☑ Machine-cut gears


 SUITABLE FOR
 JET-SKI & TINNY'S



INLINE PULL




PRODUCT TYPE –	WEBBING STRAP	GALVANISED CABLE	DYNEEMA ROPE	NO CABLE
PRODUCT CODE	CMW005W	CMW006C	SMW008R	CMW004NC
GEAR RATIO	4:1	4:1	4:1	4:1
HOOK TYPE	S Hook	S Hook	S Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	6m	6m x 4mm	6m x 4mm	–
PULL CAPACITY	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)
RATCHET TYPE	Lever Action	Lever Action	Lever Action	Lever Action
UNIT WEIGHT	3kg	3kg	3kg	3kg
DIMENSIONS (W x H x D)	254 x 144 x 193	254 x 144 x 193	254 x 144 x 193	254 x 144 x 193
QUANTITY	4/carton	4/carton	4/carton	4/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



Introducing our

Marine Boat Winch Series

Our Marine Winch Range is the result of decades of engineering, refinement, and real-world testing. Trusted by boaties across Australia, these winches are built tough to perform in the harshest marine environments.

Each winch is Dacromet finished to deliver unmatched corrosion resistance, giving you long-lasting protection. Designed with a fully enclosed side cover, they offer added durability and protection for internal components, ensuring smooth, reliable performance year after year.


With capacities ranging from 550kg to 1500kg, we offer the perfect solution for everything from small tinnies to larger vessels. Choose from single-speed, 2-speed and 3-speed models that allow effortless control, so pulling your boat on to the trailer is smoother, safer, and easier than ever.

Backed by rigorous testing, our marine winches are not just tough, they're proven. When you choose Atlantic, you're choosing industry-leading strength, reliability, and innovation.



Marine Boat Winches are not intended to serve as load-bearing devices whilst transporting your boat. Instead, secure your vessel with a rated safety chain and appropriate tie-downs to ensure safe, secure, and compliant transportation.

To ensure smooth operation and longevity of your Marine Winch, grease the winch gears regularly.



MAINTENANCE
GUIDE

Protective cover

Webbing, Cable or Rope

Machine-cut gears

S or Snap Hook

Pawl lever

3 speed gears


Release lever

Dacromet finish

Removable Hex Handle

CODE: HEXHANDLE

CODE: MW207R



For secure installation, we recommend using three M10 x 75mm bolts complete with washers and nuts to mount the winch to the trailer posts.

550kg Marine Boat Winch

3:1 Gear Ratio

☑ Webbing, rope, cable & no cable options

☑ Rust-resistant Dacromet finish



☑ Machine-cut gears




SUITABLE FOR BOATS
UP TO 14FT




INLINE PULL




PRODUCT TYPE –	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MR201R	MW202W	MW212C	MW213NC
GEAR RATIO	3:1	3:1	3:1	3:1
HOOK TYPE	S Hook	S Hook	S Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	6m x 4mm	6m	6m x 4mm	–
PULL CAPACITY	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	4.12kg	4.33kg	4.44kg	4.07kg
DIMENSIONS (W x H x D)	304 x 248 x 191	304 x 248 x 191	304 x 248 x 191	304 x 248 x 191
QUANTITY	4/carton	4/carton	4/carton	4/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



725kg Marine Boat Winch

5:1 Gear Ratio

- ✓ Webbing, rope, cable & no cable options
- ✓ Rust-resistant Dacromet finish
- ✓ Machine-cut gears




SUITABLE FOR BOATS
UP TO 18FT




INCLINE PULL




PRODUCT TYPE –	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW203R	MW204W	MW214C	MW215NC
GEAR RATIO	5:1	5:1	5:1	5:1
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	6m x 5mm	6m	6m x 4mm	–
PULL CAPACITY	725kg (1600lb)	725kg (1600lb)	725kg (1600lb)	725kg (1600lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	4.33kg	4.55kg	4.9kg	4.13kg
DIMENSIONS (W x H x D)	304.5 x 248 x 188	304.5 x 248 x 188	304.5 x 248 x 188	304.5 x 248 x 188
QUANTITY	4/carton	4/carton	4/carton	4/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



775kg Marine Boat Winch

5:1/1:1 Gear Ratio

☑ Webbing, rope, cable & no cable options

☑ Rust-resistant Dacromet finish


☑ Machine-cut gears




SUITABLE FOR BOATS
UP TO 20FT




INCLINE PULL




PRODUCT TYPE –	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW205R	MW206W	MW217C	MW218NC
GEAR RATIO	5:1/1:1	5:1/1:1	5:1/1:1	5:1/1:1
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	7.5m x 5mm	7.5m	7.5m x 5mm	–
PULL CAPACITY	775kg (1700lb)	775kg (1700lb)	775kg (1700lb)	775kg (1700lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	4.55kg	4.86kg	5.24kg	4.26kg
DIMENSIONS (W x H x D)	319 x 248 x 190.5	319 x 248 x 190.5	319 x 248 x 190.5	319 x 248 x 190.5
QUANTITY	4/carton	4/carton	4/carton	4/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



1135kg Marine Boat Winch

10:1/5:1/1:1 Gear Ratio

☑ Webbing, rope, cable & no cable options

☑ Rust-resistant Dacromet finish

☑ Machine-cut gears




SUITABLE FOR BOATS
UP TO 22FT




INCLINE PULL




PRODUCT TYPE –	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW207R	MW208W	MW220C	MW221NC
GEAR RATIO	10:1/5:1/1:1	10:1/5:1/1:1	10:1/5:1/1:1	10:1/5:1/1:1
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	7.5m x 6mm	7.5m	7.5m x 6mm	–
PULL CAPACITY	1135kg (2500lb)	1135kg (2500lb)	1135kg (2500lb)	1135kg (2500lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	5.15kg	5.39kg	5.98kg	4.79kg
DIMENSIONS (W x H x D)	312 x 252 x 190.5	312 x 252 x 190.5	312 x 252 x 190.5	312 x 252 x 190.5
QUANTITY	4/carton	4/carton	4/carton	4/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



1500kg Marine Boat Winch

15:1/5:1/1:1 Gear Ratio


- ✓ Webbing, rope, cable & no cable options
- ✓ Rust-resistant Dacromet finish
- ✓ Machine-cut gears




SUITABLE FOR BOATS
UP TO 25FT




INCLINE PULL




PRODUCT TYPE –	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW209R	MW210W	MW223C	MW224NC
GEAR RATIO	15:1/5:1/1:1	15:1/5:1/1:1	15:1/5:1/1:1	15:1/5:1/1:1
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	7.5m x 7mm	7.5m	7.5m x 7mm	–
PULL CAPACITY	1500kg (3300lb)	1500kg (3300lb)	1500kg (3300lb)	1500kg (3300lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	6.5kg	6.9kg	7.3kg	6.05kg
DIMENSIONS (W x H x D)	304 x 245 x 234.5	304 x 245 x 234.5	304 x 245 x 234.5	304 x 245 x 234.5
QUANTITY	3/carton	3/carton	3/carton	3/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS




BASE SPECIFICATIONS




Electric Marine Boat Winches are not intended to serve as load-bearing devices whilst transporting your boat. Instead, secure your vessel with a rated safety chain and appropriate tie-downs to ensure safe, secure, and compliant transportation.

To ensure smooth operation and longevity of your Electric Marine Winch, grease the winch gears regularly.



ELECTRIC MARINE
WINCH USER GUIDE



For secure installation, we recommend using three M10 x 75mm bolts complete with washers and nuts to mount the winch to the trailer posts.

2000lb Electric Marine Winch

460:1 Gear Ratio

✓ 12V / 280w motor

✓ Power-in / free spool-out


✓ Corrosion-resistant housing



SUITABLE FOR BOATS
UP TO 18FT



INCLINE PULL



Discover unparalleled value and performance with our entry-level electric marine winches, designed to deliver superior functionality at budget-friendly prices. Choose from our range available in two different gear ratio sizes, with load capacity ratings operating from 2000lb to 3500lb.

PRODUCT TYPE –	GALVANISED CABLE
PRODUCT CODE	CEW2000C
GEAR RATIO	460:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
VESSEL TYPE	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	9m x 4.8mm
PULL CAPACITY	2000lb
RATCHET TYPE	Gearshift
UNIT WEIGHT	10.8kg
DIMENSIONS (W x H x D)	241 x 191 x 254
QUANTITY	2/carton

ELECTRIC MARINE WINCH SPARE PARTS –

ELECTRIC WINCH HANDLE
CODE: CEW-HANDLE



ELECTRIC WINCH REMOTE
CODE: CEWREMOTE2




ELECTRIC WINCH POWERCORD
CODE: CEW-POWERCORD




USER GUIDE –

WATCH THIS VIDEO TO
SETUP YOUR ELECTRIC
MARINE WINCH.



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

3000lb Electric Marine Winch

729:1 Gear Ratio

✓ 12V / 300w motor

✓ Power-in / power-out

✓ Corrosion-resistant housing



SUITABLE FOR BOATS
UP TO 22FT



INCLINE PULL



Discover unparalleled value and performance with our entry-level electric marine winches, designed to deliver superior functionality at budget-friendly prices. Choose from our range available in two different gear ratio sizes, with load capacity ratings operating from 2000lb to 3500lb.

PRODUCT TYPE –	GALVANISED CABLE
PRODUCT CODE	CEW3000C
GEAR RATIO	729:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
VESSEL TYPE	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	9m x 5.5mm
PULL CAPACITY	3000lb
RATCHET TYPE	Gearshift
UNIT WEIGHT	10.8kg
DIMENSIONS (W x H x D)	241 x 191 x 254
QUANTITY	2/carton

ELECTRIC MARINE WINCH SPARE PARTS –

ELECTRIC WINCH HANDLE
CODE: CEW-HANDLE



ELECTRIC WINCH REMOTE
CODE: CEWREMOTE3




ELECTRIC WINCH POWERCORD
CODE: CEW-POWERCORD




USER GUIDE –

WATCH THIS VIDEO TO
SETUP YOUR ELECTRIC
MARINE WINCH.



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

3500lb Electric Marine Winch

729:1 Gear Ratio

✓ 12V / 350w motor

✓ Power-in / power-out

✓ Corrosion-resistant housing



SUITABLE FOR BOATS
UP TO 22FT



INCLINE PULL



Discover unparalleled value and performance with our entry-level electric marine winches, designed to deliver superior functionality at budget-friendly prices. Choose from our range available in two different gear ratio sizes, with load capacity ratings operating from 2000lb to 3500lb.

PRODUCT TYPE	DYNEEMA ROPE
PRODUCT CODE	CEW3500R
GEAR RATIO	729:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
VESSEL TYPE	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	10.5m x 5.5mm
PULL CAPACITY	3500lb
RATCHET TYPE	Gearshift
UNIT WEIGHT	12kg
DIMENSIONS (W x H x D)	241 x 191 x 254
QUANTITY	2/carton

ELECTRIC MARINE WINCH SPARE PARTS -

ELECTRIC WINCH HANDLE
CODE: CEW-HANDLE



ELECTRIC WINCH REMOTE
CODE: CEWREMOTE3




ELECTRIC WINCH POWERCORD
CODE: CEW-POWERCORD




USER GUIDE -

WATCH THIS VIDEO TO
SETUP YOUR ELECTRIC
MARINE WINCH.



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

3500lb Electric Marine Winch

729:1 Gear Ratio

✓ 12V / 350w motor

✓ Power-in / power-out

✓ Corrosion-resistant housing



SUITABLE FOR BOATS
UP TO 22FT



INCLINE PULL




Discover unparalleled value and performance with our entry-level electric marine winches, designed to deliver superior functionality at budget-friendly prices. Choose from our range available in two different gear ratio sizes, with load capacity ratings operating from 2000lb to 3500lb.

PRODUCT TYPE –	HEAVY-GAUGE GALVANISED CABLE
PRODUCT CODE	HEW3500C
GEAR RATIO	729:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
VESSEL TYPE	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	10.5m x 5.5mm
PULL CAPACITY	3500lb
RATCHET TYPE	Gearshift
UNIT WEIGHT	12kg
DIMENSIONS (W x H x D)	241 x 191 x 254
QUANTITY	2/carton

ELECTRIC MARINE WINCH SPARE PARTS –

ELECTRIC WINCH HANDLE
CODE: CEW-HANDLE



ELECTRIC WINCH REMOTE
CODE: CEWREMOTE3




ELECTRIC WINCH POWERCORD
CODE: CEW-POWERCORD




USER GUIDE –

WATCH THIS VIDEO TO
SETUP YOUR ELECTRIC
MARINE WINCH.



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

Introducing our

Brake Winch Series

Our Brake Winch Range is the product of over 20 years of engineering, testing and industry refinement. Trusted across Australia, these winches are built for precision lifting in the toughest conditions.

Each winch features an automatic load-holding brake system that engages under tension. Providing safe, controlled lowering and eliminating the risk of free-spool. Dacromet finished for superior corrosion resistance, they're made to last in marine, industrial, and rural environments.

Available in a variety of capacities and configurations, they're perfect for lifting and lowering heavy loads with confidence. Built with fully enclosed gear housings and heat treated components. Every unit delivers smooth and consistent performance, job after job.


Tested under load and engineered for total control, Atlantic brake winches deliver reliability where it matters most.

When you choose Atlantic, you're choosing proven safety, strength, and long-term performance.



A minimum load of 50kg is required in order to activate the braking mechanism of our brake winches.

To ensure smooth operation and longevity of your Brake Winch, grease the winch gears regularly.



MAINTENANCE
GUIDE

Machine-cut gears

Protective cover

Galvanised cable

Compact design

Self actuating
braking mechanism

Smooth and
controlled operation

Dacromet finish

Full cover option

Compatible with
various rigs


Engineering
tested

Stainless steel option

Removable handle

CODE: BW230C

CODE: BW-HANDLE



For secure installation, we recommend using three M10 x 75mm bolts complete with washers and nuts to mount the brake winch.

300kg Compact Brake Winch

5:1 Gear Ratio


- ✓ Cable, rope & no cable options
- ✓ Rust-resistant Dacromet finish
- ✓ NEW: Available in stainless-steel




SUITABLE FOR
UP TO 300KG




DIRECT
LIFTING




PRODUCT TYPE –	GALVANISED CABLE	DYNEEMA ROPE	NO CABLE
PRODUCT CODE	BW230C	BW230R	BW240NC
GEAR RATIO	5:1	5:1	5:1
HOOK TYPE	Snap Hook	Snap Hook	–
APPLICATION	Direct Lift	Direct Lift	Direct Lift
CABLE/WEBBING/ROPE LENGTH	7.5m x 5mm	7.5m x 5mm	–
LIFT CAPACITY	300kg (660kg)	300kg (660kg)	300kg (660kg)
ULTIMATE BRAKE LOAD	1479kg	1479kg	–
ULTIMATE TENSILE STRESS	14.5kN	14.5kN	–
UNIT WEIGHT	5.56kg	5.56kg	4.58kg
DIMENSIONS (W x H x D)	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5
QUANTITY	4/carton	4/carton	4/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

500kg Compact Brake Winch

10:1 Gear Ratio



- ✓ Cable, rope & no cable options
- ✓ Rust-resistant Dacromet finish
- ✓ NEW: Available in stainless-steel




SUITABLE FOR
UP TO 500KG




DIRECT
LIFTING




PRODUCT TYPE –	GALVANISED CABLE	DYNEEMA ROPE	NO CABLE
PRODUCT CODE	BW260C	BW260R	BW280NC
GEAR RATIO	10:1	10:1	10:1
HOOK TYPE	Snap Hook	Snap Hook	–
APPLICATION	Direct Lift	Direct Lift	Direct Lift
CABLE/WEBBING/ROPE LENGTH	7.5m x 6mm	7.5m x 6mm	–
LIFT CAPACITY	500kg (1100lb)	500kg (1100lb)	500kg (1100lb)
ULTIMATE BRAKE LOAD	1948kg	1948kg	–
ULTIMATE TENSILE STRESS	19.1kN	19.1kN	–
UNIT WEIGHT	6.09kg	6.09kg	4.90kg
DIMENSIONS (W x H x D)	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5
QUANTITY	4/carton	4/carton	4/carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

725kg Compact Brake Winch

15:1 Gear Ratio

☑ Cable & no cable options

☑ Rust-resistant Dacromet finish


☑ Hardened steel bushes



SUITABLE FOR
UP TO 725KG



DIRECT
LIFTING



PRODUCT TYPE –	GALVANISED CABLE	NO CABLE
PRODUCT CODE	BW290C	BW290NC
GEAR RATIO	15:1	15:1
HOOK TYPE	Snap Hook	–
APPLICATION	Direct Lift	Direct Lift
CABLE/WEBBING/ROPE LENGTH	8m x 8mm	–
LIFT CAPACITY	725kg (1600lb)	725kg (1600lb)
ULTIMATE BRAKE LOAD	3503kg	–
ULTIMATE TENSILE STRESS	34.25kN	–
UNIT WEIGHT	10.5kg	–
DIMENSIONS (W x H x D)	265 x 265.5 x 251.5	–
QUANTITY	3/carton	3/carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.

This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.

Note: Requires a minimum load of 50kg.


Perfect for a range of lifting applications including:

☑ Agriculture & Farming


☑ Industrial

☑ Manufacturing


☑ Events & Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

750kg Large Brake Winch

8:1 Gear Ratio

✓ Machine-cut gears

✓ Rust-resistant Dacromet finish


✓ Hardened steel bushes



SUITABLE FOR
UP TO 750KG



DIRECT
LIFTING



PRODUCT TYPE –	NO CABLE
PRODUCT CODE	LBW620NC
GEAR RATIO	8:1
HOOK TYPE	–
APPLICATION	Direct Lift
MAXIMUM DRUM CAPACITY	45m x 6mm
LIFT CAPACITY	750kg (1650lb)
ULTIMATE BRAKE LOAD	5960kg
ULTIMATE TENSILE STRESS	55.8kN
UNIT WEIGHT	22.8kg
DIMENSIONS (W x H x D)	413 x 267 x 234
QUANTITY	1/carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.

This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.

Note: Requires a minimum load of 50kg.


Perfect for a range of lifting applications including:

✓ Agriculture & Farming


✓ Industrial

✓ Manufacturing


✓ Events & Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

1500kg Large Brake Winch

15:1 Gear Ratio

✓ Machine-cut gears

✓ Hardened steel bushes

✓ Rust-resistant Dacromet finish



SUITABLE FOR
UP TO 1500KG



DIRECT
LIFTING



PRODUCT TYPE –	NO CABLE
PRODUCT CODE	LBW650NC
GEAR RATIO	15:1
HOOK TYPE	–
APPLICATION	Direct Lift
MAXIMUM DRUM CAPACITY	45m x 6mm
LIFT CAPACITY	1500kg (3300lb)
ULTIMATE BRAKE LOAD	7176kg
ULTIMATE TENSILE STRESS	70.38kN
UNIT WEIGHT	24kg
DIMENSIONS (W x H x D)	413 x 267 x 234
QUANTITY	1/carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.

This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.

Note: Requires a minimum load of 50kg.


Perfect for a range of lifting applications including:

✓ Agriculture & Farming


✓ Industrial

✓ Manufacturing


✓ Events & Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

1500kg Large Brake Winch

15:1 Gear Ratio


- Machine-cut gears
- 25m x 10mm Galvanised Cable + D-Shackle
- Dacromet with black powder-coat finish



SUITABLE FOR
UP TO 1500KG



DIRECT
LIFTING



PRODUCT TYPE –	GALVANISED CABLE
PRODUCT CODE	LBW650-25X10DS
GEAR RATIO	15:1
HOOK TYPE	Rated D-Shackle
APPLICATION	Direct Lift
CABLE/WEBBING/ROPE LENGTH	25m x 10mm
LIFT CAPACITY	1500kg (3300lb)
ULTIMATE BRAKE LOAD	6319kg
ULTIMATE TENSILE STRESS	61.97kN
UNIT WEIGHT	35kg
DIMENSIONS (W x H x D)	413 x 267 x 234
QUANTITY	1/carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.


This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.


Note: Requires a minimum load of 50kg.

Perfect for a range of lifting applications including:


- Agriculture & Farming
- Industrial
- Manufacturing
- Events & Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

1800kg Extra Large Brake Winch

15:1 Gear Ratio

✓ Machine-cut gears

✓ Hardened steel bushes


✓ Rust-resistant Dacromet finish



SUITABLE FOR
UP TO 1800KG



DIRECT
LIFTING



PRODUCT TYPE –	NO CABLE
PRODUCT CODE	LBW680NC
GEAR RATIO	15:1
HOOK TYPE	–
APPLICATION	Direct Lift
MAXIMUM DRUM CAPACITY	125m x 6mm
LIFT CAPACITY	1800kg (3960lb)
ULTIMATE BRAKE LOAD	8157kg
ULTIMATE TENSILE STRESS	80kN
UNIT WEIGHT	30kg
DIMENSIONS (W x H x D)	572 x 450 x 280
QUANTITY	1/carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.

This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.

Note: Requires a minimum load of 50kg.


Perfect for a range of lifting applications including:

✓ Agriculture & Farming

✓ Industrial

✓ Manufacturing

✓ Events & Entertainment



2500kg Car Trailer Winch

15:1 Gear Ratio

✓ Machine-cut gears

✓ 15m x 10mm Dyneema Rope

✓ Dacromet with black powder-coat finish



SUITABLE FOR
UP TO 2500KG



INCLINE PULL



PRODUCT TYPE –	DYNEEMA ROPE
PRODUCT CODE	CTW2500R
GEAR RATIO	15:1
HOOK TYPE	Rated D-Shackle
APPLICATION	Incline Pull
CABLE/WEBBING/ROPE LENGTH	15m x 10mm
PULL CAPACITY	2500kg (5500lb)
ULTIMATE BRAKE LOAD	7176kg
ULTIMATE TENSILE STRESS	70.38kN
UNIT WEIGHT	26kg
DIMENSIONS (W x H x D)	413 x 267 x 234
QUANTITY	1/carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.


This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.


Note: Requires a minimum load of 50kg.

Perfect for a range of lifting applications including:


- ✓ Agriculture & Farming
- ✓ Industrial
- ✓ Manufacturing
- ✓ Events & Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



Winch Spare Parts

Webbing Strap

Hook included

- ✓ Lightweight
- ✓ Reinforced nylon stitching
- ✓ Engineering-tested by NATA
- ✓ Available in 3 lengths



SUITABLE FOR BOATS
UP TO 20FT



1000kg RATED
CAPACITY




WEBBING LENGTH –	4.5 METRES	6 METRES	7.5 METRES
PRODUCT NAME	Webbing Strap with Snap Hook		
PRODUCT CODE	45MWSNHK	6MWSNHK	75MWSNHK
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook
BOAT SIZE	Jet-ski / Tinny	Up to 18ft	Up to 20ft
RATED CAPACITY	400kg	700kg	1000kg
QUANTITY	10/carton	10/carton	10/carton



WEBBING LENGTH –	4.5 METRES	6 METRES
PRODUCT NAME	Webbing Strap with S Hook	
PRODUCT CODE	45MWSHK	6MWSHK
HOOK TYPE	S Hook	S Hook
BOAT SIZE	Jet-ski / Tinny	Up to 14ft
RATED CAPACITY	300kg	500kg
QUANTITY	10/carton	10/carton

INSTALLATION GUIDE –



WATCH THIS VIDEO ON HOW TO INSTALL
WEBBING TO YOUR WINCH.

Galvanised Cable

Hook included

- ✓ 7×9 steel core
- ✓ Galvanised wire rope
- ✓ Engineered-tested by NATA
- ✓ Available in 4 thicknesses



SUITABLE FOR BOATS
UP TO 22FT



2500kg RATED
CAPACITY



CABLE LENGTH –	6 METRES x 4MM	7.5 METRES x 5MM	7.5 METRES x 6MM
PRODUCT NAME	Galvanised Cable with Snap Hook		
PRODUCT CODE	6M4MMSNHK	75MX5MMSNHK	75MX6MMSNHK
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook
BOAT SIZE	Up to 14ft	Up to 18ft	Up to 20ft
RATED CAPACITY	700kg	800kg	1000kg
QUANTITY	10/carton	10/carton	10/carton



CABLE LENGTH –	6 METRES x 4MM	25 METRES x 10MM
PRODUCT NAME	Galvanised Cable with S Hook	Galvanised Cable with D-Shackle
PRODUCT CODE	6MX4MMSHK	25MX10MMDS
HOOK TYPE	S Hook	D-Shackle
BOAT SIZE	Up to 14ft	For Brake Winch
RATED CAPACITY	500kg	2500kg
QUANTITY	10/carton	1/carton

Dyneema Rope

Hook included


- ✓ High-strength Dyneema Polyethylene
- ✓ Stronger than galvanised cable
- ✓ Engineered-tested by NATA
- ✓ Available in 5 thicknesses



SUITABLE FOR BOATS
UP TO 22FT



2500kg RATED
CAPACITY



ROPE LENGTH –	6 METRES x 4MM	7 METRES x 6MM	6 METRES x 5MM
PRODUCT NAME	Dyneema Rope with S Hook		Dyneema Rope with Snap Hook
PRODUCT CODE	AR6MMX4MMSHK	AR7MX6MMSHK	AR6MX5MMSNHNK
HOOK TYPE	S Hook	S Hook	Snap Hook
BOAT SIZE	Up to 14ft	Up to 18ft	Up to 20ft
CAPACITY	500kg	800kg	700kg
QUANTITY	10/carton	10/carton	10/carton



ROPE LENGTH –	7.5 METRES x 6MM	7.5 METRES x 7MM	10 METRES x 10MM
PRODUCT NAME	Dyneema Rope with Snap Hook		
PRODUCT CODE	AR75MX6MMSNHNK	AR75MX7MMSNHNK	AR10MX10MMSNHNK
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook
BOAT SIZE	Up to 20ft	Up to 22ft	Up to 25ft
CAPACITY	1000kg	1500kg	2500kg
QUANTITY	10/carton	10/carton	1/carton

Atlantic Winch Handles



Removable

- ✓ Rust-resistant Dacromet finish
- ✓ Non-slip grip handle
- ✓ Removable handle for multi-speed Marine Winches
- ✓ Handle replacement for Cadet Electric Winches



PRODUCT CODE –	HEXHANDLE	BW-HANDLE	CEW-HANDLE	CMW-HANDLE
SUITABLE FOR	Marine Boat Winches	Brake Winches	Cadet Electric Winches	Cadet Marine Winches
FINISH	Dacromet	Dacromet	Zinc-plated	Dacromet
QUANTITY	25/carton	10/carton	10/carton	10/carton



MARINE WINCH HANDLE



CADET MARINE WINCH HANDLE

Atlantic Winch Hooks

Dacromet Finish

- ✔ Suitable for all Winches
- ✔ Suitable for Webbing, Rope and Cable
- ✔ Stainless-Steel S-Hook
- ✔ Dacromet-coated Snap Hook



PRODUCT CODE –	SNAPHOOK	SHOOK
PRODUCT NAME	Snap Hook	S Hook
FINISH	Dacromet	Stainless Steel



SNAP HOOK



S HOOK

Tyres & Wheels



Alloy Mag Wheels and Tyres

Predator

- ✓ Sleek, modern design
- ✓ Engineering and performance tested
- ✓ 13", 14" & 15" models available
- ✓ Rated capacity from 600kg to 1250kg



The Predator series is a Modern Boat Trailer Alloy Wheel, that is engineering and performance tested.

WHEEL SIZE –	13 X 5.0	13 X 5.0	13 X 5.0	14 X 5.5
PRODUCT CODE	13X5ALLOYHT_155MF	13X5ALLOYHT_165MF	13X5ALLOYFD_165MF	14X55ALLOYHT_185MF
TYRE RATING	600kg	670kg	670kg	850kg
PATTERN TYPE	HT Holden	HT Holden	Ford	HT Holden
STUD PATTERN	5 x 4.25	5 x 4.25	5 x 4.50	5 x 4.25
TYRE SIZE	13" 155	13" 165	13" 165	14" 185
QUANTITY	1pc	1pc	1pc	1pc

WHEEL SIZE –	14 x 5.5	14 x 5.5	14 x 5.5	15 x 6
PRODUCT CODE	14X55ALLOYFD_185MF	14X55ALLOYFD_195MF	14X55ALLOYFD_215MF	15X6ALLOYLC_235MF
TYRE RATING	850kg	950kg	1120kg	1250kg
PATTERN TYPE	Ford	Ford	Ford	Landcruiser
STUD PATTERN	5 x 4.50	5 x 4.50	5 x 4.50	6 x 139.70
TYRE SIZE	14" 185	14" 195	14" 215	15" 235
QUANTITY	1pc	1pc	1pc	1pc



Alloy Mag Wheels and Tyres

X-Series

- ✓ Multi-stud pattern
- ✓ Engineering and performance tested
- ✓ 13" & 14" models available
- ✓ Rated capacity from 670kg to 850kg



The Atlantic-X Series is a Modern Boat Trailer Alloy Wheel series, a first of its kind with a Multi-Stud pattern design.

WHEEL SIZE – 13 x 5.0	
PRODUCT CODE	13X5ALLOYMS165
PRODUCT NAME	13" X-Series Multi-Stud Alloy Wheel & Tyre Package
TYRE RATING	670kg
PATTERN TYPE	Multi-stud
STUD PATTERN	5 x 4.25 / 5 x 4.50
TYRE SIZE	13" 165
QUANTITY	1pc

WHEEL SIZE – 14 x 5.5	
PRODUCT CODE	14X55ALLOYMS185
PRODUCT NAME	14" X-Series Multi-Stud Alloy Wheel & Tyre Package
TYRE RATING	850kg
PATTERN TYPE	Multi-stud
STUD PATTERN	5 x 4.25 / 5 x 4.50
TYRE SIZE	14" 185
QUANTITY	1pc



Alloy Mag Wheels and Tyres

X-Series

- ✓ Single-stud pattern
- ✓ Engineering and performance tested
- ✓ 13" & 14" models available
- ✓ Rated capacity from 670kg to 850kg



The Atlantic-X Series is a Modern Boat Trailer Alloy Wheel series, a first of its kind with a Multi-Stud pattern design.

WHEEL SIZE –	13 x 5.0	13 x 5.0
PRODUCT CODE	13X5ALLOYFD165SS	13X5ALLOYHT165SS
PRODUCT NAME	13" X-Series Single-Stud Alloy Wheel & Tyre Packages	
TYRE RATING	670kg	670kg
PATTERN TYPE	Ford	HT Holden
STUD PATTERN	5 x 4.50	5 x 4.25
TYRE SIZE	13" 165	13" 165
QUANTITY	1pc	1pc

WHEEL SIZE –	14 x 5.5	14 x 5.5
PRODUCT CODE	14X55ALLOYFD185SS	14X55ALLOYHT185SS
PRODUCT NAME	14" X-Series Single-Stud Alloy Wheel & Tyre Packages	
TYRE RATING	850kg	850kg
PATTERN TYPE	Ford	HT Holden
STUD PATTERN	5 x 4.50	5 x 4.25
TYRE SIZE	14" 185	14" 185
QUANTITY	1pc	1pc



Alloy Mag Wheels and Tyres

Blackhawk

- ✓ Sleek, modern design
- ✓ Exclusive to Quintrex
- ✓ 13" & 14" models available
- ✓ Rated capacity from 670kg to 850kg



The Blackhawk Series is a Modern Boat Trailer Alloy Wheel, that is engineering and performance tested.

WHEEL SIZE –	13 x 5.0	13 x 5.0
PRODUCT CODE	13X5ALLOYFD165BH	13X5ALLOYHT165BH
PRODUCT NAME	13" Blackhawk Alloy Wheel & Tyre Packages	
TYRE RATING	670kg	670kg
PATTERN TYPE	Ford	HT Holden
STUD PATTERN	5 x 4.50	5 x 4.25
TYRE SIZE	13" 165	13" 165
QUANTITY	1pc	1pc

WHEEL SIZE –	14 x 5.5	14 x 5.5
PRODUCT CODE	14X55ALLOYFD185BH	14X55ALLOYHT185BH
PRODUCT NAME	14" Blackhawk Alloy Wheel & Tyre Packages	
TYRE RATING	850kg	850kg
PATTERN TYPE	Ford	HT Holden
STUD PATTERN	5 x 4.50	5 x 4.25
TYRE SIZE	14" 185	14" 185
QUANTITY	1pc	1pc



Alloy Mag Wheels and Tyres

Ripper

- ✓ Sleek, modern design
- ✓ Available in 16" only
- ✓ Engineering and performance tested
- ✓ Rated up to 1450kg



The Ripper Series is a Modern Boat Trailer Alloy Wheel, that is engineering and performance tested.

WHEEL SIZE -	16 x 7.5
PRODUCT CODE	16X75ALLOYLC_235MF
PRODUCT NAME	Ripper Alloy Wheel & Tyre Packages
TYRE RATING	1450kg
PATTERN TYPE	Landcruiser
STUD PATTERN	6 x 139.70
TYRE SIZE	16" 235
QUANTITY	1pc



Alloy Mag Wheels and Tyres

T-Series

- ✓ Sleek, modern design
- ✓ Exclusive to Quintrex
- ✓ Engineering and performance tested
- ✓ Rated up to 850kg



The T-Series is a Modern Boat Trailer Alloy Wheel, that is engineering and performance tested available in HT Holden pattern type only.

WHEEL SIZE – 13 x 5.0	
PRODUCT CODE	13X5ALLOYHT165T
PATTERN TYPE	HT Holden
STUD PATTERN	5 x 4.25
TYRE SIZE	13" 165
TYRE RATING	670kg
QUANTITY	1pc

WHEEL SIZE – 14 x 6.0	
PRODUCT CODE	14X6ALLOY185HT
PATTERN TYPE	HT Holden
STUD PATTERN	5 x 4.25
TYRE SIZE	14" 185
TYRE RATING	850kg
QUANTITY	1pc



Galvanised Wheels and Tyres

Hot-Dip Galvanised

- ✓ 10", 13" & 14" models available
- ✓ Engineering and performance tested
- ✓ Rated capacity from 437kg to 850kg
- ✓ Corrosion resistant



Atlantic Galvanised Steel Wheel Rims are perfect for boat trailer application where corrosion resistant galvanised wheels are a necessity.

STEEL WHEEL SIZE –	10 x 5.0	13 x 4.50	13 x 4.50
PRODUCT CODE	10X5TWPMS	13X155TWPMS	13X65TWPMS-437
TYRE RATING	437kg	600kg	437kg
PATTERN TYPE	Multi-stud	Multi-stud	Multi-stud
STUD PATTERN	5 x 4.25 / 5 x 4.50	5 x 4.25 / 5 x 4.50	5 x 4.25 / 5 x 4.50
TYRE SIZE	10" x 5	13" 155	13" 165
QUANTITY	1pc	1pc	1pc

STEEL WHEEL SIZE –	13 x 4.50	13 x 4.50	13 x 4.50
PRODUCT CODE	13X165TWPMS	13X165TWPHT-670	13X175TWPMS
TYRE RATING	670kg	670kg	730kg
PATTERN TYPE	Multi-stud	Multi-stud	Multi-stud
STUD PATTERN	5 x 4.25 / 5 x 4.50	5 x 4.25	5 x 4.25 / 5 x 4.50
TYRE SIZE	13" 165	13" 165	13" 175
QUANTITY	1pc	1pc	1pc

STEEL WHEEL SIZE –	14 x 5.5	14 x 5.5
PRODUCT CODE	14X185TWPMS	14X185TWPHT-850
TYRE RATING	850kg	850kg
PATTERN TYPE	Multi-stud	Multi-stud
STUD PATTERN	5 x 4.25 / 5 x 4.50	5 x 4.25
TYRE SIZE	14" 185	14" 185
QUANTITY	1pc	1pc



Stepped Alloy Wheel Lugs

Double Chrome-Plated

✓ Suit HT Holden 7/16" or Ford 1/2"

✓ Corrosion resistant

✓ Ideal for trailers and 4WDs

✓ Precision fit

Engineered for strength and precision, Atlantic Stepped Alloy Wheel Lugs deliver a secure fit.



PRODUCT CODE -	HT-LUG	FD-LUG
PRODUCT NAME	Stepped Alloy Wheel Lugs for HT Holden	Stepped Alloy Wheel Lugs for Ford
THREAD	7/16"	1/2"
PATTERN TYPE	HT Holden	Ford
FINISH	Chrome-Plated	Chrome-Plated
QUANTITY	5pcs/pack (300pcs/60pks)	5pcs/pack (300pcs/60pks)





Spare Wheel Mounts

Introducing our

Spare Wheel Mounts Range

Galvanised Trailer Spare Wheel Mount


The Spare Wheel Mount is attached to your trailer via the side-frame, draw-bar or post using bolts and a backing plate.

Suit 13-15" wheels

Mounts via side-frame

Galvanised bolts (or U Bolts)

Includes lock and key



Aluminium Trailer Spare Wheel Mount


The Spare Wheel Mount is attached to the inside of the side frame c-section of your aluminium trailer.

Suit 13-15" wheels

Mounts inside C-section

Galvanised bolts & nuts

Includes lock and key



Small Spare Wheel Mount


Galvanised Boat Trailer

- ✓ 13-14" multi-stud pattern
- ✓ Dacromet anti-corrosion coating
- ✓ Includes anti-theft locking bracket
- ✓ Suits Ford & HT Holden stud patterns

Finished in a long lasting Dacromet anti-corrosion coating, suitable for Galvanised Trailers. Atlantic's universal spare wheel mount design comes in two sizes and allows a wide variety of wheels to be mounted.



PRODUCT CODE –	SWMSM
PRODUCT NAME	Small Spare Wheel Mount for Galvanised Trailer
TYRE SIZE	13" & 14"
PATTERN	Multi-stud pattern suit Ford & HT Holden
FINISH	Dacromet
QUANTITY	8pcs



FRONT SPECIFICATIONS

SIDE SPECIFICATIONS

TOP SPECIFICATIONS





Large Spare Wheel Mount

Galvanised Boat Trailer

- ✓ 13-15" multi-stud pattern
- ✓ Dacromet anti-corrosion coating
- ✓ Includes anti-theft locking bracket
- ✓ Suits Ford, HT Holden & Landcruiser stud patterns

Finished in a long lasting Dacromet anti-corrosion coating, suitable for Galvanised Trailers. Atlantic's universal spare wheel mount design comes in two sizes and allows a wide variety of wheels to be mounted.

PRODUCT CODE -	SWMLG
PRODUCT NAME	Large Spare Wheel Mount for Galvanised Trailer
WHEEL SIZE	13", 14" & 15"
PATTERN	Multi-stud pattern suit Ford, HT Holden & Landcruiser
FINISH	Dacromet
QUANTITY	4pcs




Small Spare Wheel Mount

Aluminium Boat Trailer

- ✓ 13-14" multi-stud pattern
- ✓ Mounts inside I-Beam
- ✓ Includes anti-theft locking bracket
- ✓ Suits Ford & HT Holden stud patterns

Composed of Alloy Steel, suitable for Aluminium I-Beam Trailers. Atlantic's universal spare wheel mount design comes in two sizes and allows a wide variety of wheels to be mounted. Also includes an anti-theft locking bracket.

PRODUCT CODE –	AWSWSM
PRODUCT NAME	Small Spare Wheel Mount for Aluminium I-Beam Trailer
WHEEL SIZE	13" & 14"
PATTERN	Multi-stud pattern suit Ford and HT Holden
FINISH	Dacromet
QUANTITY	4pcs



FRONT SPECIFICATIONS

SIDE SPECIFICATIONS

TOP SPECIFICATIONS

Large Spare Wheel Mount


Aluminium Boat Trailer

- ✓ 13-15" multi-stud pattern
- ✓ Mounts inside I-Beam
- ✓ Includes anti-theft locking bracket
- ✓ Suits Ford, HT Holden & Landcruiser stud patterns

Composed of Alloy Steel, suitable for Aluminium I-Beam Trailers. Atlantic's universal spare wheel mount design comes in two sizes and allows a wide variety of wheels to be mounted. Also includes an anti-theft locking bracket.



PRODUCT CODE -	AWSWMLG
PRODUCT NAME	Large Spare Wheel Mount for Aluminium I-Beam Trailer
WHEEL SIZE	13" 14" & 15"
PATTERN	Multi-stud pattern suit Ford, HT Holden & Landcruiser
FINISH	Dacromet
QUANTITY	4pcs



FRONT SPECIFICATIONS

SIDE SPECIFICATIONS

TOP SPECIFICATIONS




Small Spare Wheel Mount


Box Trailer

- ✓ Hot-Dip Galvanised
- ✓ Includes anti-theft locking bracket
- ✓ Suits Ford & HT Holden stud patterns


Finished in a long lasting Dacromet anti-corrosion coating, suitable for Box Trailers, this Spare Wheel Mount replaces the jockey wheel. Available in two sizes and allows a wide variety of wheels to be mounted.




PRODUCT CODE -	SWMSM-8MM
PRODUCT NAME	Small Spare Wheel Mount for Box Trailer
WHEEL SIZE	13" & 14"
PATTERN	Multi-stud pattern suit Ford & HT Holden
FINISH	Galvanised
QUANTITY	4pcs



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



TOP SPECIFICATIONS



Large Spare Wheel Mount


Box Trailer

- ✓ Hot-Dip Galvanised
- ✓ Includes anti-theft locking bracket
- ✓ Suits Ford & Landcruiser stud patterns


Finished in a long lasting Dacromet anti-corrosion coating, suitable for Box Trailers, this Spare Wheel Mount replaces the jockey wheel. Available in two sizes and allows a wide variety of wheels to be mounted.




PRODUCT CODE – SWMLG-LCPAP	
PRODUCT NAME	Large Spare Wheel Mount for Box Trailer
WHEEL SIZE	13", 14" & 15"
PATTERN	Multi-stud pattern suit Ford & Landcruiser
FINISH	Galvanised
QUANTITY	8pcs



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS




BOLT-DOWN SPECIFICATIONS



Drop-Down Spare Wheel Mount

Galvanised Trailer

- ✓ Dacromet-coated U-Bolts included
- ✓ Rust-resistant Dacromet finish
- ✓ Ideal for beach launching
- ✓ Suits Ford, HT Holden & Landcruiser stud patterns




Designed for durability, the Atlantic Drop-Down Spare Wheel Mount is ideal for harsh marine environments and beach launches. It also doubles as a spare replacement hub, keeping you ready for quick wheel swaps when you need them most.

PRODUCT CODE –	DDM40-HT	DDM40-FD	DDM45-FD	DDM45-LC
PRODUCT NAME	Drop-Down Spare Wheel Mount for Galvanised Trailer			
PATTERN TYPE	HT Holden	Ford	Ford	Landcruiser
PITCH CIRCLE DIAMETER	Ø107.95	Ø114.30	Ø114.30	Ø139.70
AXLE TYPE	39 / 40mm Axle	39 / 40mm Axle	45mm Square Axle	45mm Square Axle
NUMBER OF STUDS	5	5	5	6
FINISH	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	1pc	1pc	1pc	1pc

Spare Wheel Carrier U-Bolt


With Mount


- ✓ Mount your spare wheel
- ✓ Nyloc nuts included
- ✓ Suit Ford stud pattern
- ✓ Suit HT Holden stud pattern



Introducing Atlantic's Spare Wheel Carrier U-Bolt, a budget friendly option for mounting your spare wheel, suiting both Ford & HT-Holden Stud Patterns.

PRODUCT CODE –	ATL1525
PRODUCT NAME	Spare Wheel Carrier U-Bolt
STUD PATTERN	Ford & HT Holden
QUANTITY	20pcs






Boat Trailer Rollers

Roller Kit 1.1 1100mm x 100mm x 100mm
18024
1100283
2021/1/2023
Made in Germany. Please see the
technical specifications on the box.

Boat Trailer Roller Range

Jet-ski Trailer

Designed for jet-ski's, this setup offers sort, flexible support for easy loading and hull protection.



Bow Roller

Supports and aligns the bow of the jet-ski at the winch post

Soft Poly Keel Rollers

Supports the hull at the centre of the trailer

Wobble Rollers

Mounted on roller racks to provide side support

Bow Roller


Supports and aligns the bow of the aluminium boat at the winch post

Soft Poly Keel Rollers

Placed in the centre to cradle the fibreglass hull

Wobble Rollers

Mounted via pivot bars and roller brackets to provide hull support




Fibreglass Boat Trailer

Fibreglass hulls require soft, shock-absorbing material to prevent damage and conform to the hull shape.

Aluminium Boat Trailer

Built for strength, this setup suits heavier aluminium boats and supports retrieval stability.



Bow Roller

Supports and aligns the bow of the aluminium boat at the winch post

Hard Poly Keel Rollers

Provides strong support for the aluminium hull

Skid Strips + Trailer Blocks

Installed at the rear of the trailer for support and smoother retrieval

Boat Trailer Soft Wobble Rollers

Soft Polyurethane

✓ For Jet-ski or Tinny Boats

✓ Exceptional UV durability

✓ Used by OEM Trailer Manufacturers

Take care of your Jet-ski or Tinny Boat with our soft, yet durable wobble rollers. Manufactured by Atlantic and used on trailers by many OEM's, these UV Stabilised polyurethane wobble rollers are perfect replacement for your worn wobble rollers.



PRODUCT COLOUR –	BLUE + BLACK	GREY + BLACK	BLACK	BLACK
PRODUCT CODE	WR3BLUE	WR3GREY	WR3BLACK	WR3BLACK-R
LENGTH	4"	4"	4"	4"
WIDTH	3"	3"	3"	3"
BORE DIAMETER	22mm	22mm	22mm	22mm
MATERIAL	Soft Poly	Soft Poly	Soft Poly	Soft Poly
FINISH	Smooth	Ribbed	Smooth	Ribbed
QUANTITY	24pcs	24pcs	24pcs	24pcs



PRODUCT COLOUR –	BLUE + BLACK	BLUE + BLACK
PRODUCT CODE	WR4BLUE-R	WR4DBLUE-R
LENGTH	5"	5"
WIDTH	3"	3"
BORE DIAMETER	22mm	22mm
MATERIAL	Soft Poly	Soft Poly
FINISH	Ribbed	Ribbed
QUANTITY	24pcs	16pcs



Boat Trailer Cotton Reel Keel Rollers



Soft Polyurethane

- ✓ For Flat Hull Fibreglass Boats
- ✓ Plastic insert prevents excessive wear
- ✓ Available in 3 lengths

Crafted from durable soft-polyurethane, our Soft Keel Rollers are specifically designed to accommodate the flat hull design of fibreglass boats. Featuring a plastic insert to prevent excessive wear from contact with the spindle during boat retrieval, these rollers provide maximum keel support and protection during boat trailer transportation, ensuring a safe and efficient boating experience.



LENGTH –	4.5"	6"	8"
PRODUCT NAME	Red Soft Poly Cotton Reel Keel Roller with Spindle Insert		
PRODUCT CODE	RSPKR45	RSPKR60	RSPKR80
BORE DIAMETER	17mm	17mm	17mm
MATERIAL	Soft Poly	Soft Poly	Soft Poly
COLOUR	Red	Red	Red
QUANTITY	40pcs	40pcs	40pcs



LENGTH –	4.5"	6"	8"
PRODUCT NAME	Grey Soft Poly Cotton Reel Keel Roller with Spindle Insert		
PRODUCT CODE	GSPKR45	GSPKR60	GSPKR80
BORE DIAMETER	17mm	17mm	17mm
MATERIAL	Soft Poly	Soft Poly	Soft Poly
COLOUR	Grey	Grey	Red
QUANTITY	40pcs	40pcs	40pcs



Boat Trailer Sydney Keel Rollers

Soft Polyurethane

- ✓ For V-Shaped Fibreglass Boats
- ✓ Innovative design helps guide your boat
- ✓ Available in 2 lengths

Our Soft Sydney Keel Rollers serve as an excellent alternative to self-centering or standard keel rollers. Their innovative design guides your boat smoothly towards the centre of the trailer, ensuring effortless retrieval. Featuring a plastic insert to prevent excessive wear from contact with the spindle during boat retrieval, these rollers provide maximum keel support and protection during boat trailer transportation, ensuring a safe and efficient boating experience.



LENGTH –	6"	8"
PRODUCT NAME	Red Soft Poly Sydney Keel Roller	
PRODUCT CODE	RSPSKR60	RSPSKR80
BORE DIAMETER	17mm	17mm
MATERIAL	Soft Poly	Soft Poly
COLOUR	Red	Red
QUANTITY	25pcs	25pcs



LENGTH –	6"	8"
PRODUCT NAME	Blue Soft Poly Sydney Keel Roller	
PRODUCT CODE	BSPSKR60	BSPSKR80
BORE DIAMETER	17mm	17mm
MATERIAL	Soft Poly	Soft Poly
COLOUR	Blue	Blue
QUANTITY	25pcs	25pcs

Boat Trailer Keel Rollers

Hard Polyurethane

- ✓ For Aluminium Boats
- ✓ Exceptional UV durability
- ✓ Available in 3 lengths



Our Hard Keel Rollers are constructed from high-density polyurethane, offering exceptional UV stabilisation, durability, and impact resistance while minimising abrasion. The Sydney Keel Rollers serve as an excellent alternative to self-centering or standard keel rollers. Their innovative design guides your boat smoothly towards the centre of the trailer, ensuring effortless retrieval.



LENGTH – 4.5"	
PRODUCT NAME	Blue Hard Keel Roller
PRODUCT CODE	BHKR45
BORE DIAMETER	17mm
MATERIAL	Hard Poly
COLOUR	Blue
QUANTITY	40pcs



LENGTH – 6" 8"		
PRODUCT NAME	Blue Hard Sydney Keel Roller	
PRODUCT CODE	BHSKR60	BHSKR80
BORE DIAMETER	17mm	17mm
MATERIAL	Hard Poly	Hard Poly
COLOUR	Blue	Blue
QUANTITY	14pcs	20pcs



Boat Trailer Keel Rollers

Black Rubber

- ✓ For Aluminium or Fibreglass Boats
- ✓ Impact-resistant rubber material
- ✓ Available in 3 lengths



Our Rubber Keel Rollers, suitable for either aluminium or fibreglass boats, are made from durable, impact-resistant rubber, ensuring long-lasting performance and protection. The Sydney Keel rollers serve as an excellent alternative to self-centering or standard keel rollers. Their unique design effortlessly guides your boat towards the centre of the trailer, making retrieval smooth and easy.



LENGTH – 4.5"	
PRODUCT NAME	Black Rubber Keel Roller
PRODUCT CODE	BRKR45
BORE DIAMETER	17mm
MATERIAL	Rubber
COLOUR	Black
QUANTITY	40pcs



LENGTH – 6"		8"
PRODUCT NAME	Black Rubber Sydney Keel Roller	
PRODUCT CODE	BRKSR60	BRKSR80
BORE DIAMETER	17mm	17mm
MATERIAL	Rubber	Rubber
COLOUR	Black	Black
QUANTITY	20pcs	20pcs




Boat Trailer Self-Centering Rollers

Hard Polyurethane



- ✓ For Aluminium Boats
- ✓ Innovative design helps guide your boat
- ✓ Available in 2 lengths

Our Self-Centering Rollers, designed specifically for aluminium boats, are constructed from high-density polyurethane, offering excellent UV stabilisation, durability, and impact resistance while minimising abrasion. The innovative grooved design guides your boat smoothly towards the centre of the trailer, ensuring effortless retrieval and alignment.



LENGTH –	6"	8"
PRODUCT NAME	Self-Centering Roller	
PRODUCT CODE	BHCR60	BHCR80
BORE DIAMETER	17mm	17mm
MATERIAL	Hard Poly	Hard Poly
COLOUR	Blue	Blue
QUANTITY	14pcs	20pcs



Boat Trailer Bow Rollers

Soft Polyurethane

- ✓ For Aluminium Boats
- ✓ Mount to winch post
- ✓ End Caps and Bolt included



Our Bow Rollers are designed to facilitate smooth and secure loading on to boat trailers, replacing the old V-blocks which only allowed minimum tolerance. These bow rollers are constructed from high-density polyurethane, offering exceptional UV stabilisation, durability, and impact resistance while minimising abrasion.



LENGTH –	3"	4"	3"	4"	4"
PRODUCT NAME	Bow Roller		V-Shaped Bow Roller		
PRODUCT CODE	BOWR3	BOWR4	BOWR3-V	BOWR4-V	BOWR4-Y-V
MATERIAL	Soft Poly	Soft Poly	Soft Poly	Soft Poly	Soft Poly
COLOUR	Black	Black	Black	Black	Yellow
QUANTITY	20pcs	20pcs	20pcs	16pcs	16pcs



STANDARD BOW ROLLER



V-SHAPED BOW ROLLER

Boat Trailer Brackets



Boat Trailer Bracket Range

Wobble Roller Brackets

Mounted to trailer via 33mm Heavy-Duty Wood Yoke Bracket or Pivot Bars.

- Bracket with Bolts
- Bracket with Solid Pin
- Bracket with Mounting Bracket



Bolt on Bracket

Secures solid stem brackets to trailer frame. Can be bolted or welded.



Heavy-Duty Wood Yoke Brackets

Secures trailer blocks & wobble roller brackets using hollow 40×40mm square tube for heavy duty applications.

- 33mm head: suits wobble roller bracket
- 45mm head: suits small trailer blocks or pre bend trailer block
- 54mm head: suits trailer block, alloy skid or pivot bar

Standard Wood Yoke Brackets

Secures trailer blocks using solid 20×20mm stem for general applications.

- 33mm head: suits wobble roller bracket
- 45mm head: suits small trailer blocks or pre-bend trailer block
- 54mm head: suits trailer block or alloy skid



Eye Post Brackets

Acts like a double stem keel roller bracket, however eliminating the need for a washer and split pin.

- 175×165mm bracket with spindle attached: suits 4.5" keel rollers
- 270×165mm bracket with spindle attached: suits 8" keel rollers

Keel Roller Brackets

Secures keel rollers in conjunction with washers and split pins.

- Single Stem: Mounted close to the front of the trailer.
- Double Stem: Mounted throughout the centre of trailer.
- No Stem: Mounted throughout the centre of the trailer via U-Bolts
- Double Keel Roller Bracket: Mounted at the centre of the trailer



Standard Adjustable Brackets

Allows adjustable mounting of bracket with solid 20×20mm stems.



Heavy-Duty Adjustable Brackets

Allows adjustable mounting of brackets with hollow 40×40mm square tube.

Boat Trailer Roller Brackets

Hot-Dip Galvanised


- ✔ Pair with a Roller and Spindle
- ✔ Maximum Corrosion-Resistance
- ✔ Available in 3 lengths



Our range of Boat Trailer Roller Brackets are designed to complete a boat roller assembly when paired with a roller and spindle. Enhance your boat trailer's performance and longevity with these robust and reliable keel roller brackets. Our Double Keel Roller Brackets are engineered to provide enhanced central hull support during launch and retrieval. Designed to house two keel rollers, they offer increased stability and alignment, especially for larger or heavier boats.



LENGTH –	4.5"	6"	8"
PRODUCT NAME	No Stem Roller Brackets		
PRODUCT CODE	KRBNS45	KRBNS60	KRBNS80
QUANTITY	25pcs	25pcs	20pcs



LENGTH –	4.5"	6"	8"
PRODUCT NAME	Single Stem Keel Roller Brackets		
PRODUCT CODE	SSKRB45	SSKRB60	SSKRB80
QUANTITY	10pcs	10pcs	10pcs



LENGTH –	6"	8"	6"
PRODUCT NAME	Double Stem Roller Brackets		Double Keel Roller Bracket
PRODUCT CODE	DSKRB60	DSKRB80	DNSB
QUANTITY	10pcs	10pcs	6pcs



Boat Trailer Bolt-on Brackets

Hot-Dip Galvanised



- ✔ Option to Weld or Bolt-on
- ✔ Maximum Corrosion Resistance
- ✔ Includes 8.8 Grade Dome Head Bolt
- ✔ Retail and OEM packaging available

Our Bolt on Bracket is designed to complete a boat roller assembly when paired with a roller, spindle and roller bracket. These brackets are engineered for strength and durability, yet can be both welded and bolted on. They feature a Hot-Dip Galvanised coating, providing maximum corrosion resistance for both freshwater and salt-water environments.



PRODUCT CODE –	BOB
PRODUCT NAME	Bolt on Bracket for Single Stem upright
FINISH	Hot-Dip Galvanised
QUANTITY	25pcs



Boat Trailer Wood Yoke Brackets

Hot-Dip Galvanised

✓ Maximum corrosion resistance

✓ Includes 8.8 Grade Bolt

✓ Available in 45-54mm Standard

Our Wood Yoke Brackets are designed to hold Boat Trailer Blocks, Wobble Roller Brackets and Pivot Bars. These brackets are engineered for strength and durability. They feature a Hot-Dip Galvanised coating, providing maximum corrosion resistance for both freshwater and salt-water environments.



BRACKET SIZE –	45mm	54mm
PRODUCT CODE	WY8-45MM	WY8-54MM
SQUARE STEM	20x20	20x20
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
QUANTITY	18pcs	15pcs



BRACKET SIZE –	33mm	45mm	54mm
PRODUCT CODE	WY40ST-33MM	WY40ST-45MM	WY40ST-54MM
SUITS	Wobble Roller Bracket	Small Trailer Block	Pivot Bar or Trailer Blocks
LENGTH	200mm	270mm	270mm
SQUARE TUBE	40x40x3	40x40x3	40x40x3
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
QUANTITY	15pcs	15pcs	15pcs



STANDARD WOOD YOKE BRACKET



HEAVY-DUTY WOOD YOKE BRACKET

Angled Wood Yoke Brackets

Hot-Dip Galvanised

- ✓ Maximum corrosion resistance
- ✓ Includes 8.8 Grade Bolt
- ✓ Available for 45mm and 54mm bracket opening

Our Wood Yoke Brackets are designed to hold Boat Trailer Blocks and Pivot Bars. These brackets are engineered for strength and durability. They feature a Hot-Dip Galvanised coating, providing maximum corrosion resistance for both freshwater and salt-water environments.



BRACKET SIZE – 54mm	
PRODUCT CODE	AWY-54MM
SQUARE STEM	20x20
FINISH	Hot-Dip Galvanised
QUANTITY	20pcs



BRACKET SIZE –		
	45mm	54mm
PRODUCT CODE	AWY40ST-45MM	AWY40ST-54MM
SUITS	Smaller Trailer Blocks	Steel Tube with Skids
LENGTH	280mm	280mm
SQUARE TUBE	40x40x3	40x40x3
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
QUANTITY	15pcs	15pcs



STANDARD ANGLED WOOD YOKE BRACKET



HEAVY-DUTY ANGLED WOOD YOKE BRACKET

Boat Trailer Eye Post Brackets


Hot-Dip Galvanised

✔ Pair with a Roller and Spindle

✔ Maximum corrosion resistance

✔ No Washer & Split Pin needed

Our Eye Post Brackets are designed to complete a boat roller assembly when paired with a roller and spindle. These brackets are engineered for strength and durability. They feature a Hot-Dip Galvanised coating, providing maximum corrosion resistance for both freshwater and salt-water environments.



BRACKET SIZE –	175mm x 165mm	270mm x 165mm
PRODUCT NAME	Eye Post Bracket with Square Stem & Round Bar	
PRODUCT CODE	EPAB175X165	EPAB270X165
SQUARE STEM WIDTH	20mm	20mm
ROUND BAR DIAMETER	16mm	16mm
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
QUANTITY	25pcs	20pcs



BRACKET SIZE –	18mm x 165mm
PRODUCT NAME	Eye Post Bracket with Square Stem
PRODUCT CODE	EPB18X165
SQUARE STEM WIDTH	20mm
FINISH	Hot-Dip Galvanised
QUANTITY	40pcs



Boat Trailer Adjustable Stem Brackets

Hot-Dip Galvanised

- ✓ Includes 8.8 Grade Bolt
- ✓ Maximum corrosion resistance
- ✓ Dome Head Bolt for maximum tension

Our Adjustable stem bracket is designed to complete a boat roller assembly when paired with a roller bracket, roller and spindle. These brackets are engineered for strength and durability. Providing you with a range of adjustability for the mounting of brackets & rollers. They feature a Hot-Dip Galvanised coating, providing maximum corrosion resistance for both freshwater and salt-water environments.



BRACKET SIZE –	50mm x 25mm	50mm x 50mm
PRODUCT CODE	ASB50X25	ASB50X50
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
QUANTITY	25pcs	20pcs



BRACKET SIZE –	50mm x 50mm	75mm x 50mm	75mm x 75mm
PRODUCT CODE	ASBST-50X50HD	ASBST-75X50HD	ASBST-75X75HD
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
QUANTITY	8pcs	8pcs	8pcs



STANDARD ADJUSTABLE BRACKET




HEAVY-DUTY ADJUSTABLE BRACKET

Boat Trailer Wobble Roller Brackets

Hot-Dip Galvanised

- ✔ Ensures hull support for all types of boats
- ✔ Maximum corrosion resistance
- ✔ Choose from 3 types of roller brackets

Our range of Wobble Roller Brackets are built to support and stabilise your boat during loading, unloading, and transport. Designed to be used with wobble rollers, washers and split pins, they ensure even hull support across a range of boat sizes. Each bracket is Hot-Dip Galvanised for superior corrosion resistance in both freshwater and salt-water environments.



PRODUCT CODE –	WRB	WRB-SP	WRB-TD	PB600MM
PRODUCT NAME	Wobble Roller Bracket (with Bolts)	Wobble Roller Bracket (Solid Pin)	Wobble Roller Bracket (with Mounting Bracket)	Wobble Roller Bracket (Pivot Bar)
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
QUANTITY	10pcs	10pcs	20pcs	10pcs




Boat Trailer Outboard Motor Support Bracket

Hot-Dip Galvanised

✔ Supports your outboard motor



✔ Protective rubber nose

✔ Available in 2 lengths



Travel worry-free with the Atlantic Outboard Motor Support Bracket, designed to securely support your boat's outboard motor during trailer transport. Featuring a protective rubber nose and a hot-dip galvanized finish for superior corrosion resistance, this bracket ensures reliable performance in both freshwater and salt-water environments.

PRODUCT CODE –	MSB400MM	MSB730MM
PRODUCT NAME	400mm Motor Support Bracket	730mm Motor Support Bracket
LENGTH	400mm	730mm
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
QUANTITY	4pcs	4pcs



Roller Spindles

Hot-Dip Galvanised

- ✓ Maximum corrosion-resistance
- ✓ Engineered for strength & durability
- ✓ Available in 3 lengths



Our Boat Roller Spindles are designed to complete a boat roller assembly in conjunction with a boat roller and bracket. Featuring a Hot-Dip Galvanised coating, ensuring maximum corrosion resistance for both freshwater and salt-water environments. Upgrade your trailer with these roller spindles, which provide robust support and smooth operation for your boat rollers.



LENGTH –	145mm	203mm
PRODUCT NAME	Standard Roller Spindle	
PRODUCT CODE	SRS45	SRS60
SPINDLE DIAMETER	M16	M16
FINISH	Hot-dip Galvanised	Hot-dip Galvanised
ROLLER SUITABILITY	4.5"	6"
QUANTITY	50pcs	50pcs



LENGTH –	240mm	240mm
PRODUCT NAME	Standard Roller Spindle	
PRODUCT CODE	SRS80	SRS80-20
SPINDLE DIAMETER	M16	M20
FINISH	Hot-dip Galvanised	Hot-dip Galvanised
ROLLER SUITABILITY	8"	8"
QUANTITY	50pcs	30pcs



Forged Roller Spindles

Hot-Dip Galvanised

- ✓ Maximum corrosion-resistance
- ✓ Engineered for strength & durability
- ✓ Available in 3 lengths



Our Boat Roller Spindles are designed to complete a boat roller assembly in conjunction with a boat roller and bracket. Featuring a Hot-Dip Galvanised coating, ensuring maximum corrosion resistance for both freshwater and salt-water environments. Upgrade your trailer with these roller spindles, which provide robust support and smooth operation for your boat rollers.



LENGTH –	145mm	203mm
PRODUCT NAME	Forged Roller Spindle with Washer and Split Pin	
PRODUCT CODE	RS45	RS60
SPINDLE DIAMETER	M16	M16
FINISH	Hot-dip Galvanised	Hot-dip Galvanised
ROLLER SUITABILITY	4.5"	6"
QUANTITY	60pcs	50pcs



LENGTH –	240mm
PRODUCT NAME	Forged Roller Spindle with Washer and Split Pin
PRODUCT CODE	RS80
SPINDLE DIAMETER	M16
FINISH	Hot-dip Galvanised
ROLLER SUITABILITY	8"
QUANTITY	50pcs




Boat Trailer Tie-Down Bracket

Hot-Dip Galvanised

- ✔ Suits 50×50 Cross Members
- ✔ Mounting point for tie-downs
- ✔ For aluminium boat trailers

Designed for secure anchoring, this 50×50mm cross member bracket features a welded link for attaching tie-downs to safely secure your boat to your aluminium boat trailer. Built tough with an 8.8 grade bolt and hot-dip galvanised for maximum corrosion resistance, it's engineered to perform in hard marine environments.

BRACKET SIZE –		80mm
PRODUCT CODE		UB80
FINISH		Hot-dip Galvanised
QUANTITY		20pcs



Alloy Mud Guard Support Bracket


Hot-Dip Galvanised

- ✓ Secures Aluminium Trailer Guard Support Stem
- ✓ Maximum corrosion resistance
- ✓ Suits Aluminium Boat Trailers

Mounts to outside of Aluminium Trailer I-Beam to effectively secure the guard support stem to trailer, preventing movement or rattling.



PRODUCT CODE –	ALLOY-TSA
SUITS	Aluminium Trailers
FINISH	Hot-dip Galvanised
QUANTITY	16



Roller Fasteners

For Keel & Wobble Rollers

✓ Stainless steel split pin

✓ Dacromet finish to all washers



PRODUCT NAME –	Split Pin (Stainless Steel)	35mm Washer (Roller Spindle)	38mm Washer (Wobble Roller)
PRODUCT CODE	RSSP4X30	RW35MM-10	RW38MM-10
LENGTH	30mm	–	–
DIAMETER	–	35mm	38mm
MATERIAL	Stainless Steel	8.8 Mild Steel	8.8 Mild Steel
FINISH	Stainless Steel	Dacromet	Dacromet
ITEMS PER PACK	10	10	10
BOX QUANTITY	250pks	100pks	100pks



35mm Washer for
Keel Roller Spindle

CODE: RW35MM-10



Split Pin
Stainless Steel

CODE: RSSP4X30

38mm Washer for
Wobble Roller

CODE: RW38MM-10

Bracket Fasteners

8.8 Steel Grade

✔ Compatible with our Bracket Range

✔ Bolts includes Washer & Nut



PRODUCT NAME –	Wood Yoke Bolt	Adjustable Cross Member Bolt	Adjustable Stem Dome Head Bolt	Winch Mounting Bolt
PRODUCT CODE	M10X75WYB	M10X75CMB	M12X35DHB	WMB
NUT TYPE	Nyloc Nut	Washer & Nut	Standard Nut	Washer & Nut
LENGTH	75mm	75mm	35mm	75mm
DIAMETER	M10	M10	M12	M10
MATERIAL	8.8 Mild Steel	8.8 Mild Steel	8.8 Mild Steel	8.8 Mild Steel
FINISH	Dacromet	Dacromet	Dacromet	Dacromet
ITEMS PER PACK	5	5	5	3
BOX QUANTITY	50pks	50pks	50pks	80pks



**Adjustable
Cross Member
Bolt**

CODE: M10X75CMB

**Wood
Yoke
Bolt**

CODE: M10X75WYB

**Adjustable
Stem Dome
Head Bolt**

CODE: M12X35DHB



**Winch Mounting
Bolt**

CODE: WMB



Trailer Spare Parts


Boat Trailer Blocks

Hard Teflon

- ✓ For Aluminium Boats
- ✓ Protect and support your boat
- ✓ Teflon for minimal friction



Our Boat Trailer Blocks, designed specifically for aluminium boats have excellent UV stabilisation, durability, and impact resistance while minimising abrasion. Used in combination with wood yoke brackets, trailer blocks are essential components which protect and support your boat while launching, retrieval and transportation, in conjunction with rollers.



LENGTH –	250mm	350mm	1500mm
PRODUCT CODE	BHTTB250	BHTTB350	TB1500MM
MATERIAL	Hard Teflon	Hard Teflon	Hard Teflon
COMPOSITION	Hollow	Hollow	Solid
COLOUR	Blue	Blue	Blue
QUANTITY	25pcs	25pcs	6pcs



Boat Trailer Blocks

Pre-Bend

- ✓ For Aluminium Boats
- ✓ Aluminium Insert for added support
- ✓ Teflon for minimal friction



Our Boat Trailer Blocks, designed specifically for aluminium boats have excellent UV stabilisation, durability, and impact resistance while minimising abrasion. Used in combination with wood yoke brackets, trailer blocks are essential components which protect and support your boat while launching, retrieval and transportation, in conjunction with rollers.



LENGTH -	1500mm
PRODUCT NAME	Pre-Bend Trailer Block
PRODUCT CODE	PBTB1500MM
MATERIAL	Hard Teflon
COLOUR	Blue
QUANTITY	6pcs



Galvanised Steel Skids


Hot-Dip Galvanised

✓ Galvanised for corrosion resistance

✓ Pre-Assembled Teflon Skid Strip

✓ Used by major trailer manufacturers

This premium 1.5m galvanised steel tube comes pre-fitted with Atlantic's UV-stabilised Teflon skid strip for ultra-low friction during boat retrieval and launching. Designed specifically for aluminium boat trailers, the high-grade steel is hot-dip galvanised to withstand harsh marine conditions, offering long-lasting corrosion resistance and dependable support.



LENGTH –	1500mm
PRODUCT NAME	Galvanised Steel Skid
PRODUCT CODE	G-BTSS15M
WIDTH	50mm
MATERIAL (SKID)	Galvanised
COLOUR (STRIP)	Blue
QUANTITY	6pcs



Boat Trailer Skid Strips


Hard Teflon

- ✓ For Aluminium Boats
- ✓ Protect and support your boat
- ✓ Teflon for minimal friction

Our Boat Trailer Skid Strips, designed specifically for aluminium boats, have excellent UV stabilisation, durability, and impact resistance while minimising abrasion. Designed to be used in conjunction with rollers and trailer blocks, skid strips are essential components which protect and support your boat while launching, retrieval and transportation.



LENGTH –	360mm	1500mm	2000mm
PRODUCT NAME	Teflon Skid Strip		
PRODUCT CODE	BTSS36CM	BTSS15M	BTSS20M
WIDTH	50mm	50mm	50mm
MATERIAL	Hard Teflon	Hard Teflon	Hard Teflon
COLOUR	Blue	Blue	Blue
QUANTITY	100pcs	50pcs	50pcs



SPECIFICATIONS



Boat Trailer Safety Chains

Hot-Dip Galvanised

- ✓ Complies with ADR requirements
- ✓ Available in 5 lengths and 3 thicknesses
- ✓ Additional Safety Chain Links available

Available in a range of lengths and sizes, with the option of black coated or Hot-Dip Galvanised for excellent corrosion resistance, our Safety Chains are essential in safeguarding the event in which there is a coupling failure between vehicle and trailer. Complying with ADR requirements, the safety chain rating is stamped every 4 links providing peace of mind, while making it suitable for any trailer.



PRODUCT CODE –	SC8MMHDG-11	SC8MMHDG-13	SC8MMHDG-23	SC10MMHDG-12	SC13MMHDG-12
PRODUCT NAME	Safety Chains				
CHAIN THICKNESS	8mm	8mm	8mm	10mm	13mm
NUMBER OF LINKS	11	13	23	12	12
LENGTH	465mm	545mm	970mm	635mm	665mm
FINISH	Galvanised	Galvanised	Galvanised	Galvanised	Galvanised
RATING	1600kg	1600kg	1600kg	2500kg	3500kg
QUANTITY	50pcs	50pcs	25pcs	25pcs	15pcs

PRODUCT CODE –	SC8MMBLK-11	SC8MMBLK-23	SC8MMBLK-13	SC10MMBLK-12	SC13MMBLK-12
PRODUCT NAME	Safety Chains				
CHAIN THICKNESS	8mm	8mm	8mm	10mm	13mm
NUMBER OF LINKS	11	13	23	12	12
LENGTH	465mm	545mm	970mm	635mm	665mm
FINISH	Black Coated	Black Coated	Black Coated	Black Coated	Black Coated
RATING	1600kg	1600kg	1600kg	2500kg	3500kg
QUANTITY	50pcs	50pcs	25pcs	25pcs	15pcs

PRODUCT CODE –	CL8MM	CL10MM
PRODUCT NAME	Safety Chain Links	
CHAIN THICKNESS	8mm	10mm
LENGTH	50mm	70mm
FINISH	Black Coated	Black Coated
QUANTITY	500pcs	250pcs



Rated D & Bow Shackles

Hot-Dip Galvanised

- ✓ Rated D Shackles from 8mm 750kg to 13mm 2000kg
- ✓ Available in 8mm, 10mm, 11mm and 13mm
- ✓ Bulk pack option

Rated from 1000kg to 2000kg, our D and Bow Shackles are built for secure, compliant connections and meet Australian Standards. Perfect for trailers, towing, marine and general load applications.



RATED CAPACITY –	750kg	1000kg	1500kg	2000kg
PRODUCT NAME	D-Shackle Retail Pack			
PRODUCT CODE	DS8MM-750	DS10MM-1000	DS11MM-1500	DS13MM-2000
SHACKLE THICKNESS	8mm	10mm	11mm	13mm
QUANTITY	200pcs	100pcs	100pcs	50pcs

RATED CAPACITY –	750kg	1000kg	1500kg	2000kg
PRODUCT NAME	D-Shackle Bulk Pack			
PRODUCT CODE	DS8MM-750B	DS10MM-1000B	DS11MM-1500B	DS13MM-2000B
SHACKLE THICKNESS	8mm	10mm	11mm	13mm
RATED CAPACITY	750kg	1000kg	1500kg	2000kg
QUANTITY	300pcs	200pcs	150pcs	100pcs

RATED CAPACITY –	1000kg
PRODUCT NAME	Bow Shackle
PRODUCT CODE	BSHACKLE1000B
SHACKLE THICKNESS	10mm
QUANTITY	200pcs




45x6 765mm Slipper Springs


Dacromet Finish

- ✓ Rust-resistant Dacromet finish
- ✓ Each leaf is individually coated
- ✓ Dual rating up to 1760kg

The Atlantic Slipper Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.



NUMBER OF LEAFS –	3 LEAFS	4 LEAFS	5 LEAFS	6 LEAFS	7 LEAFS	9 LEAFS
PRODUCT NAME	45x6 765mm Slipper Spring					
PRODUCT CODE	3L-SS765-45X6	4L-SS765-45X6	5L-SS765-45X6	6L-SS765-45X6	7L-SS765-45X6	9L-SS765-45X6
DUAL RATING	600kg	900kg	1000kg	1300kg	1400kg	1760kg
LENGTH	765mm	765mm	765mm	765mm	765mm	765mm
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	6mm	6mm	6mm	6mm	6mm	6mm
FINISH	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	224/pallet	300/pallet	300/pallet	250/pallet	200/pallet	200/pallet




SPECIFICATIONS

45x6 765mm Hook Tail Springs


Dacromet Finish

- ✓ Rust-resistant Dacromet finish
- ✓ Each leaf is individually coated
- ✓ Dual rating up to 1760kg

The Atlantic Slipper Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.



NUMBER OF LEAFS –	3 LEAFS	4 LEAFS	5 LEAFS	6 LEAFS	7 LEAFS	9 LEAFS
PRODUCT NAME	45x6 765mm Slipper Spring with Hook Tail					
PRODUCT CODE	3L-SS765-45X6HT	4L-SS765-45X6HT	5L-SS765-45X6HT	6L-SS765-45X6HT	7L-SS765-45X6HT	9L-SS765-45X6HT
DUAL RATING	600kg	900kg	1000kg	1300kg	1400kg	1760kg
LENGTH	765mm	765mm	765mm	765mm	765mm	765mm
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	6mm	6mm	6mm	6mm	6mm	6mm
FINISH	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	400/pallet	300/pallet	300/pallet	250/pallet	200/pallet	200/pallet



SPECIFICATIONS




45x8 710mm Slipper Springs


Dacromet Finish

- ✔ Rust-resistant Dacromet finish
- ✔ Each leaf is individually coated
- ✔ Dual rating up to 2900kg

The Atlantic Slipper Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.



NUMBER OF LEAFS –	3 LEAFS	4 LEAFS	5 LEAFS	6 LEAFS	8 LEAFS
PRODUCT NAME	45x8 710mm Slipper Spring				
PRODUCT CODE	3L-SS710-45X8	4L-SS710-45X8	5L-SS710-45X8	6L-SS710-45X8	8L-SS710-45X8
DUAL RATING	1080kg	1440kg	1800kg	2180kg	2900kg
LENGTH	710mm	710mm	710mm	710mm	710mm
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	8mm	8mm	8mm	8mm	8mm
FINISH	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	350/pallet	300/pallet	250/pallet	250/pallet	200/pallet



SPECIFICATIONS


45x8 710mm Eye-to-Eye Springs

Dacromet Finish

- ✔ Rust-resistant Dacromet finish
- ✔ Each leaf is individually coated
- ✔ Dual rating up to 2800kg

The Atlantic Eye-to-Eye Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.

NUMBER OF LEAFS –	3 LEAFS	4 LEAFS	5 LEAFS	6 LEAFS	8 LEAFS
PRODUCT NAME	45x8 710mm Eye-to-Eye Spring				
PRODUCT CODE	3L-E2E710-45X8	4L-E2E710-45X8	5L-E2E710-45X8	6L-E2E710-45X8	8L-E2E710-45X8
DUAL RATING	1060kg	1400kg	1760kg	2100kg	2800kg
LENGTH	710mm	710mm	710mm	710mm	710mm
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	8mm	8mm	8mm	8mm	8mm
FINISH	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	350/pallet	300/pallet	250/pallet	250/pallet	200/pallet



SPECIFICATIONS



Rocker Roller Springs

Dacromet Finish




✓ Dual rating up to 2245kg

✓ Each leaf is individually coated

✓ Suit 14" & 16" wheels

The Atlantic Rocker Roller Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.

PRODUCT CODE –	ATL576460D/576461D	ATL576470D/576471D	ATL576670D/576671D	ATL576680D/576681D
TYRE SIZE	14"	14"	16"	16"
NUMBER OF LEAFS	6	7	7	8
WIDTH (PER LEAF)	60mm	60mm	60mm	60mm
LENGTH (A)	687mm	687mm	687mm	687mm
LENGTH (B)	117mm	117mm	117mm	117mm
LENGTH (C)	396mm	396mm	343mm	343mm
LENGTH (D)	291mm	291mm	343mm	343mm
LENGTH (E)	787mm	787mm	787mm	787mm
LENGTH (F)	785mm	785mm	888mm	888mm
DUAL RATING	1105-1250kg	1300-1500kg	1625-2100kg	1900-2245kg
FINISH	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	25/pallet	25/pallet	25/pallet	25/pallet



SPECIFICATIONS



Rocker Roller Springs

Black Finish




✓ Dual rating up to 2245kg

✓ Each leaf is individually coated

✓ Suit 14" & 16" wheels

The Atlantic Rocker Roller Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.

PRODUCT CODE –	ATL576450 / ATL576451	ATL576460 / ATL576461	ATL576470 / ATL576471	ATL576650 / ATL576651	ATL576660 / ATL576661	ATL576670 / ATL576671	ATL576680 / ATL576681
TYRE SIZE	14"	14"	14"	16"	16"	16"	16"
NUMBER OF LEAFS	5	6	7	5	6	7	8
WIDTH (PER LEAF)	60mm	60mm	60mm	60mm	60mm	60mm	60mm
LENGTH (A)	687mm	687mm	687mm	687mm	687mm	687mm	687mm
LENGTH (B)	117mm	117mm	117mm	117mm	117mm	117mm	117mm
LENGTH (C)	396mm	396mm	396mm	343mm	343mm	343mm	343mm
LENGTH (D)	291mm	291mm	291mm	343mm	343mm	343mm	343mm
LENGTH (E)	787mm	787mm	787mm	787mm	787mm	787mm	787mm
LENGTH (F)	785mm	785mm	785mm	888mm	888mm	888mm	888mm
DUAL RATING	950-1100kg	1105-1250kg	1300-1500kg	1300-1450kg	1450-1600kg	1625-2100kg	1900-2245kg
FINISH	Black	Black	Black	Black	Black	Black	Black
QUANTITY	25/pallet	25/pallet	25/pallet	25/pallet	25/pallet	25/pallet	25/pallet




SPECIFICATIONS



Parabolic Springs



Dacromet Finish

- ✓ No inter-leaf friction
- ✓ Dual rating up to 4000kg
- ✓ Lighter weight




PRODUCT CODE –	PS13X45D-HT-750KG	PS15X45D-HT-1000KG
LENGTH	770mm	770mm
LEAF WIDTH	941mm	946mm
LEAF THICKNESS	7-13mm	8-15mm
DUAL RATING	1500kg	2000kg
FINISH	Dacromet	Dacromet
QUANTITY	550/pallet	500/pallet



PRODUCT CODE –	PS18X45D-HT-1500KG	PS21X45D-HT-2000KG
LENGTH	770mm	770mm
LEAF WIDTH	944mm	949mm
LEAF THICKNESS	9-18mm	10-21mm
DUAL RATING	3000kg	4000kg
FINISH	Dacromet	Dacromet
QUANTITY	500/pallet	500/pallet




PS13X45D-HT-750KG



PS15X45D-HT-1000KG



PS18X45D-HT-1500KG



PS21X45D-HT-2000KG

SPECIFICATIONS

Parabolic Springs



Black Finish

- ✓ No inter-leaf friction
- ✓ Dual rating up to 4000kg
- ✓ Lighter weight




PRODUCT CODE –	PS13X45B-HT-750KG	PS15X45B-HT-1000KG
LENGTH	770mm	770mm
LEAF WIDTH	941mm	946mm
LEAF THICKNESS	7-13mm	8-15mm
DUAL RATING	1500kg	2000kg
FINISH	Black Finish	Black Finish
QUANTITY	550/pallet	500/pallet



PRODUCT CODE –	PS18X45B-HT-1500KG	PS21X45B-HT-2000KG
LENGTH	770mm	770mm
LEAF WIDTH	944mm	949mm
LEAF THICKNESS	9-18mm	10-21mm
DUAL RATING	3000kg	4000kg
FINISH	Black Finish	Black Finish
QUANTITY	500/pallet	500/pallet




PS13X45D-HT-750KG



PS15X45D-HT-1000KG



PS18X45D-HT-1500KG



PS21X45D-HT-2000KG

SPECIFICATIONS

Trailer Accessories



Trailer Light Boards

Easy to install

- ☑ Brake, tail and indicator lights included
- ☑ Designed for safety & visibility on the road
- ☑ Option of LED or bulb lights

Whether you're towing a boat, caravan, or trailer our light boards ensure compliance with road regulations containing brake, tail, and indicator lights. Easy to install and compatible with standard wiring setup, they provide reliable lighting solutions for your towing needs. Upgrade your trailer setup today with our Trailer Light Boards for enhanced safety and peace of mind on every journey.



PRODUCT CODE – LB-BL12MFP	
PRODUCT NAME	1.2m Trailer Light Board
LAMP TYPE	Bulb Lamps
LIGHT BOARD LENGTH	1200mm
CABLE LENGTH	6.0m
PLUG TYPE	Flat with round plugs
QUANTITY	6pcs



PRODUCT CODE – LB-LED15MFP	
PRODUCT NAME	1.5m Trailer Light Board
LAMP TYPE	LED Lamps
LIGHT BOARD LENGTH	1500mm
CABLE LENGTH	6.0m
PLUG TYPE	Flat with round plugs
QUANTITY	6pcs




Jerry Can Holder with Mount


Hot-Dip Galvanised

- ✔ Offers reliable fuel storage
- ✔ Convenient for any road trip
- ✔ Excellent corrosion resistance


Our Jerry Can Holder with Mount provides excellent corrosion resistance, suitable for both salt and fresh water marine environments. Offers reliable fuel storage, integrating durability and convenience for any journey.




PRODUCT CODE –	JC370X180X300
PRODUCT NAME	Jerry Can Holder with Mount
LENGTH	370mm
DEPTH	180mm
HEIGHT	300mm
FINISH	Hot-Dip Galvanised
QUANTITY	1pc



REAR/BOLTDOWN SPECIFICATIONS



SIDE SPECIFICATIONS



TOP/BASE SPECIFICATIONS

LED Boat Trailer Lights


Fully submersible

- ✓ Engineering tested
- ✓ Department of Transport & Roads approved
- ✓ Includes built-in number plate light



Atlantic's LED Boat Trailer Lights are made from strong polycarbonate lenses which give better illumination and offer longer life than other conventional bulbs. Suitable for boat trailers up to 8 metres.

PRODUCT CODE –	NLEDTLRP
PRODUCT NAME	LED Boat Trailer Lights
NUMBER OF LIGHTS	2/pack
LIGHT DIMENSIONS	160mm x 80mm
QUANTITY	20pcs



SPECIFICATIONS



Brake Cable Assembly Kit

Hot-Dip Galvanised

- ✓ 2mm PVC-coated
- ✓ 4mm or 5mm heavy-duty galvanised cable wire
- ✓ Galvanised Cable adjuster and clamps included

Our Brake Cable Assembly Replacement Kit includes 8 or 10 metres of PVC-coated Hot-Dip Galvanised cable wire, cable adjuster, brake cable clamps and pulleys.



PRODUCT CODE –	ATLBCA8M	ATLBCA10M	ATLBCA-G-10M
PRODUCT NAME	8m Brake Cable Assembly Kit	10m Brake Cable Assembly Kit	
CABLE LENGTH	8m	10m	10m
CABLE DIAMETER	4mm	4mm	5mm
CABLE COATING	2mm PVC	2mm PVC	N/A
CABLE FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
NUMBER OF CLAMPS	4 x M6	4 x M6	4 x M6
NUMBER OF PULLEYS	N/A	2	2
QUANTITY	20pcs	20pcs	20pcs




Brake Cable

Spare Parts

- ✓ Brake Cable Clamps
- ✓ 500m Brake Cable Roll
- ✓ Brake Cable Adjuster Brackets
- ✓ Brake Cable Pulleys

Our Brake Cable Spare Parts include brake cable clamps, cable roll, adjuster bracket and pulley.



PRODUCT CODE –	BCC	500M-7X7BC
PRODUCT NAME	Brake Cable Clamps	500m Brake Cable Roll
SIZE	M5	–
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised (Cable)
QUANTITY	200pcs	1pc



PRODUCT CODE –	BCAB	BCP
PRODUCT NAME	Brake Cable Adjuster Bracket	Brake Cable Pulley
FINISH	Hot-Dip Galvanised	Dacromet
QUANTITY	40pcs	100pcs



Wheel Bearings Kits

High-Speed

✔ Ensures smooth mobility

✔ Available in 2-part marine seal

✔ For HT Holden and FD Ford

Atlantic Boat Trailer high-speed Wheel Bearing Kits are designed for maximum load carrying capacity ensuring smooth mobility and long-life of any boat trailer.

PRODUCT CODE –	ATL1690S	ATL1707S
PRODUCT NAME	Regular Trailer Wheel Bearings Set	
SUITABILITY	Holden LM	Ford
SEAL	Grease Seal	Grease Seal
AXLE TYPE	39mm Round / 40mm Square	45mm Square
QUANTITY	20pcs	20pcs

PRODUCT CODE –	ATL1688S	ATL1712
PRODUCT NAME	Boat Trailer Wheel Bearings Set	
SUITABILITY	Holden LM	Ford
SEAL	2-Part Marine Grease Seal	2-Part Marine Grease Seal
AXLE TYPE	39mm Round / 40mm Square	45mm Square
QUANTITY	20pcs	20pcs



Jet-Ski Trailer Posts


Hot-Dip Galvanised

- ✔ Suits Jet-Ski trailers
- ✔ Includes a winch carrier and bow roller
- ✔ Pre-fitted with rated safety chain
- ✔ Axle-grade steel

Compact and corrosion-resistant, our Jet-Ski Winch Trailer Post is ideal for small water-crafts. Each trailer post includes a pre-assembled winch carrier with a bow roller, ensuring secure support and smooth alignment during launch and retrieval.



PRODUCT CODE –	TPWC-JETSKI
PRODUCT NAME	Trailer Post for Jet-Ski Trailer
FINISH	Hot-Dip Galvanised



SPECIFICATIONS




Tinny Boat Trailer Posts

Hot-Dip Galvanised

- ✔ Suits Tinny Boat trailers
- ✔ Includes a winch carrier and bow roller
- ✔ Pre-fitted with rated safety chain
- ✔ Axle-grade steel

Designed for lightweight boats, our Tinny Winch Trailer Posts offers a strong, stable mounting plate for winches on aluminium or smaller vessels. Galvanised for long-term durability, it's the perfect fit for weekend fishing and casual boaters alike.

PRODUCT CODE –	TPWC-TINNY
PRODUCT NAME	Trailer Post for Tinny Boat Trailer
FINISH	Hot-Dip Galvanised



SPECIFICATIONS




Large Trailer Posts

Hot-Dip Galvanised

- ✔ Suits Large Boat trailers (18ft+)
- ✔ Includes a winch carrier and bow roller
- ✔ Pre-fitted with rated safety chain
- ✔ Axle-grade steel

Built for strength and reliability, our Heavy-Duty Winch Trailer Post is engineered to handle boats 18 feet and over. It's robust, galvanised steel constructions delivers unmatched support and corrosion protection in tough marine conditions.

PRODUCT CODE -	TPWC-LB18+
PRODUCT NAME	Trailer Post Trailer for 18ft+ Large Trailer
FINISH	Hot-Dip Galvanised



SPECIFICATIONS





Towing Accessories

Anti-Rattle Hitch Bolt

Zinc-Plated


- ✔ Suits Atlantic Bike Rack Hitch Tube
- ✔ Prevents static hitch rattle movement
- ✔ Ensures a quieter journey



Say goodbye to hitch movement with our Anti-Rattle Hitch Bolt. Designed specifically for Atlantic Bike Racks, it secures the hitch tube, eliminating unwanted play, ensuring a quieter and more secure journey.



PRODUCT CODE – HT-ARCB	
PRODUCT NAME	Anti-Rattle Clamp Bolt
SUITS	Fits Atlantic Bike Rack Hitch Tube
QUANTITY	25pcs



Anti-Rattle Hitch Plate


U-Bolt Included

- ✔ Suitable for a 2" hitch
- ✔ Prevents static hitch rattle movement
- ✔ Ensures a quieter journey



Say goodbye to hitch movement with our Anti-Rattle Hitch Bracket. It secures 50mm (2") hollow or solid shank mounts, eliminating unwanted play, ensuring a quieter and more secure journey.

PRODUCT CODE -	HT-ARC
PRODUCT NAME	Anti-Rattle Hitch Plate & U-Bolt
HITCH SIZE	2" (50mm)
QUANTITY	25pcs



Trailer Lock

Includes Padlock

- ✓ Keep your trailer safe from thieves
- ✓ Made from hardened steel
- ✓ Includes padlock and keys

Made from hardened steel with an anti-corrosion zinc coating, keeping your trailer safe from thieves.



PRODUCT CODE –	TRAILER-LOCK
PRODUCT NAME	Trailer Lock
QUANTITY	12pcs



Tow Ball Products

Accessories

✓ 50mm Chrome Tow-ball

✓ Double-chrome plated

✓ 62mm long thread

Atlantic Products offer a wide variety of tow ball accessories including tow balls and covers.



PRODUCT CODE – CTB50X62C	
PRODUCT NAME	50mm Chrome Tow Ball
DIMENSIONS	50mm
SHANK LENGTH	62mm
CAPACITY	3.5 Tonne
FINISH	Chrome
QUANTITY	20pcs



PRODUCT CODE – TBCC		TBCB
PRODUCT NAME	Chrome Tow Ball Cover	Black Tow Ball Cover
DIMENSIONS	50mm	50mm
FINISH	Chrome	Black
QUANTITY	300pcs (12pcs/pk)	300pcs (12pcs/pk)



Tow Bar Products

Accessories

- ✔ Soft UV treated shin protector
- ✔ ADR Compliant
- ✔ Tow-bar available in 3 lengths



Atlantic Products offer a wide variety of tow bar accessories including tow bars and shin protectors.



PRODUCT CODE –	SHINPRO	LGPIN
PRODUCT NAME	Shin Protector	Hitch Pin & R-Clip
SIZE	–	5/8"
FINISH	–	Zinc
MATERIAL	Black Rubber	High Grade Steel
QUANTITY	40pcs	100pcs



PRODUCT CODE –	TBPRC-1	TBPRC-2	TBPRC-3
PRODUCT NAME	Tow-bar		



Vertical Bike Racks

Suits 50x50 Hitch

- ✓ Vertical bike mount design
- ✓ Weather-Resistant powder coating
- ✓ e-Bike compatible
- ✓ Suit bicycles wheels up to 29"



Our Hitch-Mounted Vertical Bike Rack is the ultimate transport solution for riders who value convenience and efficiency. Designed to carry up to 6 bikes, it features a tilting mechanism for effortless loading and unloading. Its secure, space-saving design ensures safe, hassle-free transport.



NUMBER OF BICYCLES –	3 BIKES	4 BIKES	5 BIKES	6 BIKES
PRODUCT NAME	Vertical Bike Rack			
PRODUCT CODE	ATLBR003	ATLBR004	ATLBR005	ATLBR006
WIDTH	809mm	1109mm	1409mm	1689mm
HEIGHT	1408mm	1408mm	1408mm	1408mm
DEPTH (FROM REAR OF VEHICLE)	800mm	800mm	800mm	800mm
CAPACITY (MAX 23kg/BIKE)	69kg	92kg	115kg	138kg
WEIGHT	21.8kg	24.2kg	28.2kg	32kg
QUANTITY	1pc	1pc	1pc	1pc

USER GUIDE –

WATCH THIS VIDEO ON HOW TO SETUP YOUR ATLANTIC VERTICAL BIKE RACK.



Garage Stands

For Vertical Bike Rack

- ✓ Caster wheels for effortless mobility
- ✓ Keeps your space neat and tidy
- ✓ Perfect for garages, apartments and sheds

The Atlantic Garage Stand keeps your bikes secure, elevated, and neatly organised, freeing up valuable floor space and de-cluttering your garage. Built for durability and easy installation, it's the perfect way to maximise storage efficiency while keeping your bikes within reach.




PRODUCT CODE –		BRGM
PRODUCT NAME	Garage Stand for Vertical Bike Rack	
WEIGHT	17.5kg	
DIMENSIONS (L x D x H)	890mm x 1220mm x 280mm	
QUANTITY	1pc	

SUGGESTED PRODUCTS –

VERTICAL BIKE RACKS

FOR THE FULL RANGE, REFER TO THE BIKE RACKS IN THE TOWING ACCESSORIES SECTION.





Tie-Down Ratchets

How to

Secure a Jet-Ski with our Tie-Downs

SECURE THE STERN ON BOTH SIDES

Use shorter tie-downs to prevent backward movement. The shorter length makes it ideal for tight spaces or smaller trailers.

Code: ATL1825/ATL1825SS

(Large Boat: ATL1550)

SECURE THE MIDDLE

The narrow 25mm webbing makes it easy to thread through tight spaces.

Code: ATL4025/ATL4025SS



(Large Boat: ATL5550)

SECURE THE BOW


Use a bow strap to hold the entire front of the jet-ski in place.

Code: ATL1825/ATL1825SS


(Large Boat: ATL1550)




Unfold the Tie-Down Ratchet strap and thread the strap through the bearing.



Thread the strap through the centre slot of the ratchet tie-down bearing.



To tighten the ratchet mechanism, swing the handle back and forth.



Tighten and close the ratchet. Straps should be firm but not overtightened.

SECURE ANY LOOSE ENDS.

Prevent flapping by tucking away excess strap length.

Tie-Down Ratchets

Jet-Ski & Small Boats

- ✓ 1.8m x 25mm reinforced nylon webbing strap
- ✓ Suit Jet Ski + boat trailers up to 14ft
- ✓ Available in Stainless Steel


 2 PACK
(PAIR)

 SECURES THE STERN
AND BOW OF A JET-SKI

 SECURES THE STERN AND
BOW OF A SMALL BOAT

A quick, safe solution to securing load on your boat trailer, each Atlantic Tie-Down Ratchet includes PVC-covered hooks and UV stabilised and reinforced nylon webbing straps. The shorter length makes it ideal for tight spaces or smaller trailers. The 200kg capacity is suitable for securing lighter water-craft without excessive tension.



PRODUCT CODE – ATL1825	
PRODUCT NAME	1.8m Tie-Down Ratchet
WEBBING LENGTH	1.8m
WEBBING WIDTH	25mm
RATCHETS	Pair
SUITABILITY	Jet Ski/Small Boat
LASHING CAPACITY	200kg
QUANTITY	30pcs




PRODUCT CODE – ATL1825SS	
PRODUCT NAME	1.8m Stainless-Steel Tie-Down Ratchet
WEBBING LENGTH	1.8m
WEBBING WIDTH	25mm
RATCHETS	Pair
SUITABILITY	Jet Ski/Small Boat
LASHING CAPACITY	200kg
QUANTITY	30pcs



Tie-Down Ratchets

Jet-Ski & Small Boats

- ✓ 4m x 25mm reinforced nylon webbing strap
- ✓ Suit Jet Ski + boat trailers up to 14ft
- ✓ Available in Stainless Steel

-  **1 PACK (SINGLE)**
 **SECURES THE REAR (BOW) OF A JET-SKI**
 **SECURES THE BOW, OVER THE BOAT OR BOW EYE TO TRAILER POST**

A quick, safe solution to securing load on your boat trailer, each Atlantic Tie-Down Ratchet includes PVC-covered hooks and UV stabilised and reinforced nylon webbing straps. The narrow 25mm webbing makes it easy to thread through tight spaces. Works well for lighter boats, ensuring stability without applying excessive pressure.



PRODUCT CODE – ATL4025	
PRODUCT NAME	4m Tie-Down Ratchet
WEBBING LENGTH	4m
WEBBING WIDTH	25mm
RATCHETS	Single
SUITABILITY	Jet Ski/Small Boat
LASHING CAPACITY	200kg
QUANTITY	14pcs

PRODUCT CODE – ATL4025SS	
PRODUCT NAME	4m Stainless-Steel Tie-Down Ratchet
WEBBING LENGTH	4m
WEBBING WIDTH	25mm
RATCHETS	Single
SUITABILITY	Jet Ski/Small Boat
LASHING CAPACITY	200kg
QUANTITY	14pcs



Tie-Down Ratchets

Large Boats

- ✓ 1.5m x 50mm reinforced nylon webbing strap
- ✓ Suit Large Boats
- ✓ Available in Stainless Steel


 2 PACK
(PAIR)

 SECURES THE STERN AND BOW OF
A LARGE BOAT


A quick, safe solution to securing load on your boat trailer, each Atlantic Tie-Down Ratchet includes PVC-covered hooks and UV stabilised and reinforced nylon webbing straps. The higher 400kg weight capacity provides extra security for heavier loads. The wider 50mm webbing distributes pressure more evenly, reducing strain on the hull.



PRODUCT CODE –	ATL1550
PRODUCT NAME	1.5m Tie-Down Ratchet
WEBBING LENGTH	1.5m
WEBBING WIDTH	50mm
RATCHETS	Pair
SUITABILITY	Large Boat
LASHING CAPACITY	400kg
QUANTITY	14pcs

PRODUCT CODE –	ATL1550SS
PRODUCT NAME	1.5m Stainless-Steel Tie-Down Ratchet
WEBBING LENGTH	1.5m
WEBBING WIDTH	50mm
RATCHETS	Pair
SUITABILITY	Large Boat
LASHING CAPACITY	400kg
QUANTITY	14pcs



Tie-Down Ratchets

Large Boats

- ✓ 5.5m x 50mm reinforced nylon webbing strap
- ✓ Suit Large Boats
- ✓ Available in Stainless Steel



1 PACK
(SINGLE)



SECURES THE BOW, OVER THE BOAT OR BOW
EYE TO TRAILER POST FOR A LARGE BOAT



A quick, safe solution to securing load on your boat trailer, each Atlantic Tie-Down Ratchet includes PVC-covered hooks and UV stabilised and reinforced nylon webbing straps. The 50mm webbing width prevents damage to the hull while ensuring a firm hold. The 400kg capacity makes it ideal for securing heavier boats during transport. Also available in stainless steel.



PRODUCT CODE –	ATL5550
PRODUCT NAME	5.5m Tie-Down Ratchet
WEBBING LENGTH	5.5m
WEBBING WIDTH	50mm
RATCHETS	Single
SUITABILITY	Large Boat
LASHING CAPACITY	400kg
QUANTITY	14pcs

PRODUCT CODE –	ATL5550SS
PRODUCT NAME	5.5m Stainless-Steel Tie-Down Ratchet
WEBBING LENGTH	5.5m
WEBBING WIDTH	50mm
RATCHETS	Single
SUITABILITY	Large Boat
LASHING CAPACITY	400kg
QUANTITY	14pcs



Notes

[illegible]

Atlantic Products are 100% Australian owned and operate from their corporate headquarters based in Adelaide, South Australia.

Stocked by leading distributors around Australia and overseas, Atlantic Products manufactures and distributes a range of winches, wheels and trailer accessories for the marine, agricultural, mining and construction industries.

Due to their rapid expansion, Atlantic Products has positioned warehouse facilities in all key cities of Australia; plus Shanghai and Hong Kong for faster lead times to key markets in Europe, Africa and the USA.



FOR ALL SALES & ENQUIRIES:

Free call 1300 214 049

Email info@atlanticproducts.com.au

www.atlanticproducts.com.au

Please note all information contained in this document is correct at time of printing. Atlantic Products reserves the right to modify any information without prior notice. © 2025 Atlantic Products Pty Ltd.

DAL6509/v20.07.2025

Atlantic Products are industry members with:

